5 14.G5: CIR 309 C. 3 GED Survey

STATE OF ILLINOIS
WILLIAM G. STRATTON, Governor
DEPARTMENT OF REGISTRATION AND EDUCATION
VERA M. BINKS, Director



Geochemistry of Carbonate Sediments and Sedimentary Carbonate Rocks

Part IV-B Bibliography

Donald L. Graf



DIVISION OF THE
ILLINOIS STATE GEOLOGICAL SURVEY
JOHN C. FRYE, Chief URBANA
CIRCULAR 309 1960



GEOCHEMISTRY OF CARBONATE SEDIMENTS AND SEDIMENTARY CARBONATE ROCKS

Part IV-B: Bibliography

Digitized by the Internet Archive in 2012 with funding from University of Illinois Urbana-Champaign

GEOCHEMISTRY OF CARBONATE SEDIMENTS AND SEDIMENTARY CARBONATE ROCKS

Part IV-B: Bibliography

Donald L. Graf

INTRODUCTION

The bibliography presented in this report was compiled as part of a basic review of selected topics in carbonate geochemistry presented in four recent publications of the Illinois State Geological Survey.

The review has been prepared at the invitation of the United States Geological Survey, and the material will serve as the basis for a condensed treatment in the forthcoming revision of F. W. Clarke's "Data of Geochemistry."

Work done throughout the world in several areas of carbonate geochemistry was surveyed in this series. The areas covered included carbonate mineralogy and carbonate sediments (Part I, Circular 297), sedimentary carbonate rocks (Part II, Circular 298), distribution of minor elements in carbonate rocks and sediments (Part III, Circular 301), and the isotopic and chemical composition of these materials (Part IV-A, Circular 308). The bibliography that follows lists all references given in the four publications.

A fifth part of this series will deal with aqueous carbonate systems. It will carry its own bibliography.

- Abderhalden, E., and Heyns, K., 1933, Nachweis von Chitin in Flügelresten von Coleopteren des oberen Mitteleocäns: Biochem. Zeitschr., v. 259, p. 320-321.
- Abelson, P. H., 1954, Paleobiochemistry, in Annual Report of the Director of the Geophysical Laboratory, Carnegie Inst. Washington, for 1953-1954, p. 97-101.
- Abelson, P. H., 1959a, Geochemistry of organic substances, in Researches in geochemistry (P. H. Abelson, ed.): John Wiley and Sons, New York, p. 79-103.
- Abelson, P. H., 1959b, Paleobiochemistry and organic geochemistry: Fortschr. Chem. org. Naturstoffe, v. 17, p. 379-403.
- Adams, J. A. S., Osmond, J. K., and Rogers, J. J. W., 1959, The geochemistry of thorium and uranium: Physics and Chemistry of the Earth, v. 3, p. 298-348.
- Adams, J. A. S., and Weaver, C. E., 1958, Thorium-to-uranium ratios as indicators of sedimentary processes: Example of concept of geochemical facies: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 387-430.
- Adams, J. E., and Frenzel, H. N., 1950, Capitan barrier reef, Texas and New Mexico: Jour. Geology, v. 58, p. 289-312.
- Adams, J. E., Frenzel, H. N., Rhodes, M. L., and Johnson, D. P., 1951, Starved Pennsylvanian Midland Basin: Am. Assoc. Petroleum Geologists Bull., v. 35, p. 2600-2607.
- Alderman, A. R., 1959, Aspects of carbonate sedimentation: Geol. Soc. South Australia Jour., v. 6, p. 1-10.
- Alderman, A. R., and Skinner, H. C. W., 1957, Dolomite sedimentation in the south-east of South Australia: Am. Jour. Sci., v. 255, p. 561-567.
- Alekhin, O. A., and Moricheva, N. P., 1955, [The question of the origin and future of the ion composition of the Aral Sea]: Gidrokhim. Materially, v. 25, p. 3-15.
- Alexander, A. E., 1934, A petrographic and petrologic study of some continental shelf sediments: Jour. Sed. Petrology, v. 4, p. 12-22.
- Alimen, H., 1944, Roches gréseuses à ciment calcaire du Stampien. Étude pétrographique: Soc. Géol. France Bull., 5th ser., v. 14, p. 307-329.
- Alimen, H., and Deicha, G., 1958, Observations pétrographiques sur les meulières pliocènes: Soc. Géol. France Bull., 6th ser., v. 8, p. 77-90.
- Ames, L. L., Jr., 1960, Some cation substitutions during the formation of phosphorite from calcite: Econ. Geology, v. 55, p. 354-362.
- Andel, Tj. Van, and Postma, H., 1954, Recent sediments of the Gulf of Paria, v. I: North Holland Publ. Co., Amsterdam, 244 p.
- Anderson, E. C., and Libby, W. F., 1951, World-wide distribution of natural radiocarbon: Phys. Rev., v. 81, p. 64-69.
- Anderson, F. D., 1934, Manganese deposits of the Woodstock area, N. B.: Geol. Survey Canada, Topical Rept. No. 1.
- Anderson, R. C., 1957, Pebble and sand lithology of the major Wisconsin glacial lobes of the Central Lowland: Geol. Soc. America Bull., v. 68, p. 1415-1450.
- Anderson, W., and Smythe, J. A., 1942, An occurrence of millerite in the Durham Coal Measures: Geol. Mag., v. 79, p. 220-224.

- Andres, J., Brand, E., von Engelhardt, W., and Füchtbauer, H., 1959, Die Erdgas-Lagerstätten im Zechstein Nordwestdeutschlands: Vol. I, Atti del Convegno di Milano (Sept. 30-Oct. 5, 1957), I Giacimenti Gassiferi dell' Europa Occidentale, Accademia Nazionale dei Licei and Ente Nazionale Idrocarburi, Rome, p. 101-136 (cited as "In Press").
- Andrichuk, J. M., 1958, Stratigraphy and facies analysis of upper Devonian reefs in Leduc, Stettler, and Redwater areas, Alberta: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 1-91.
- Andrichuk, J. M., and Wonfor, J. S., 1954, Late Devonian geologic history in Stettler area, Alberta, Canada: Am. Assoc. Petroleum Geologists Bull., v. 38, p. 2500-2536.
- Anosov, F. Ya., and Chukhrov, F. V., 1950, [Vanadates in the oxidation zone of ore deposits of Central Kazakhstan]: Zapiski Vsesoyuz. Mineral. Obshchestva, v. 77, p. 43-54, 1948; Chem. Absts., v. 44, 6353.
- Aprodov, V. A., 1947, O psevdomorfozakh sery po gipsu v kungurskikh mergelyakh Verkhne-Chusovskikh gorodkov: Akad. Nauk SSSR Dokl., v. 58, p. 2037-2038.
- Archanguelsky, A. D., 1927, On the Black Sea sediments and their importance for the study of sedimentary rocks: Bull. soc. des Naturalistes de Moscou, n. s., v. XXXV, Geol. Ser., v. V (3), p. 199-289.
- Armstrong, G., Dunham, K. C., Harvey, C. O., Sabine, P. A., and Waters, W. F., 1951, The paragenesis of sylvine, carnallite, polyhalite, and kieserite in Eksdale borings nos. 3, 4, and 6, north-east Yorkshire: Mineralog. Mag., v. 29, p. 667-689.
- Armstrong, W. D., and Schubert, Jack, 1947, Exchange of carbon dioxide between barium carbonate and the atmosphere: Science, v. 106, p. 403-404.
- Arrhenius, Gustaf, 1952, Sediment cores from the East Pacific: Part I. Properties of the sediment and their distribution: Report of the Swedish Deep-Sea Expedition, 1947-1948, v. V., fasc. 1, Göteborg, Elanders Boktryckeri Aktiebolag, 91 p.
- Arrhenius, Gustaf, 1954, Significance of carbonate stratification in pelagic deposits: Geol. Soc. America Bull., v. 65, p. 1228-1229.
- Arrhenius, Gustaf, and Blomqvist, N., 1956, Proportion of sedimentary components in the calcareous eupelagic area of the east Pacific: Report of the Swedish Deep-Sea Expedition, 1947-1948, v. V, fasc. 2, Göteborg, Elanders Boktryckeri Aktiebolag, p. 229-233.
- Arrhenius, Gustaf, Bramlette, M. N., and Picciotto, E., 1957, Localization of radioactive and stable heavy nuclides in ocean sediments: Nature, v. 180, p. 85-86.
- Arrhenius, Gustaf, and Goldberg, E. D., 1955, Distribution of radioactivity in pelagic clays: Tellus, v. 7, p. 226-231.
- Arrhenius, Gustaf, Kjellberg, J., and Libby, W. F., 1951, Age determination of Pacific chalk ooze by radiocarbon and titanium content: Tellus, v. 3, p. 222-229.
- Ault, W. U., 1959, Isotopic fractionation of sulfur in geochemical processes, in Researches in Geochemistry (P. H. Abelson, ed.): John Wiley and Sons, New York, p. 241-259.

- Awapara, J., and Allen, K., 1959, Occurrence of β -aminoisobutyric acid in Mytilus edults: Science, v. 130, p. 1250.
- Baertschi, Peter, 1957, Messung und Deutung relativer Häufigkeitsvariationen von O^{18} und C^{13} in Karbonatgesteinen und Mineralien: Schweiz. Miner. u. Petrog. Mitt., v. 37, p. 73-152.
- Bagrowski, B. P., 1940, Occurrence of millerite at Milwaukee, Wisconsin: Am. Mineralogist, v. 25, p. 556-559.
- Bain, G. W., 1924, Types of magnesite deposits and their origin: Econ. Geology, v. 19, p. 412-433.
- Baker, A. A., Duncan, D. C., and Hunt, C. B., 1952, Manganese deposits of southeastern Utah: U. S. Geol. Survey Bull. 979-B, p. 63-157.
- Baker, B. L., and Hodgson, G. W., 1959, Magnesium in crude oils of western Canada: Am. Assoc. Petroleum Geologists Bull., v. 43, p. 472-484.
- Baker, C. L., 1933, Disseminated galena in the Upper Cambrian of the Central Mineral Region, Texas: Econ. Geology, v. 28, p. 163-170.
- Baranov, V. I., Ronov, A. B., and Kunashova, K. G., 1956, [On the geochemistry of dispersed thorium and uranium in clays and carbonate rocks of the Russian platform]: Geokhimiia, v. 3, p. 3-8.
- Barnes, H. L., 1959, The effect of metamorphism on metal distribution near base metal deposits: Econ. Geology, v. 54, p. 919-943.
- Barnes, J. W., Lang, E. J., and Potratz, H. A., 1955, A radiochemical procedure for thorium and its application to the determination of ionium in coral limestone: Los Alamos Scientific Laboratory of the University of California, Report LA-1845.
- Barnes, J. W., Lang, E. J., and Potratz, H. A., 1956, Ratio of ionium to uranium in coral limestone: Science, v. 124, p. 175-176.
- Barnes, V. E., 1952, High purity Marble Falls limestone, Burnet County, Texas: Texas Univ. Bur. Econ. Geology Rept. Inv. 17, 26 p.
- Barnes, V. E., Cloud, P. E., Jr., and Warren, L. E., 1947, Devonian rocks of central Texas, Geol. Soc. America Bull., v. 58, p. 125-140.
- Barth, T. F. W., and Bruun, Brynjolf, 1945, Studies on the igneous rock complex of the Oslo Region. IV. Fluorine in the Oslo petrographic province: Skr. Norske Vidensk. Akad., Oslo.
- Bartlett, H. H., 1951, Radiocarbon datability of peat, marl, caliche, and archeological materials: Science, v. 114, p. 55-56.
- Baskin, Y., 1956, A study of authigenic feldspars: Jour. Geology, v. 64, p. 132-155.
- Bass, N. W., and Northrop, S. A., 1950, South Canyon Creek dolomite member, a unit of Phosphoria age in Maroon formation near Glenwood Springs, Colorado: Am. Assoc. Petroleum Geologists Bull., v. 34, p. 1540-1551.
- Beales, F. W., 1953, Dolomitic mottling in Palliser (Devonian) limestone, Banff and Jasper national parks, Alberta: Am. Assoc. Petroleum Geologists Bull., v. 37, p. 2281-2293.

- Beath, O. A., Eppson, H. F., and Gilbert, C. S., 1935, Selenium and other toxic minerals in soils and vegetation: Wyoming Agric. Exp. Station Bull. 206, 56 p.
- Beath, O. A., Gilbert, C. S., and Eppson, H. F., 1937, Selenium in soils and vegetation associated with rocks of Permian and Triassic age: Am. Jour. Botany, v. 24, p. 96-101.
- Beath, O. A., Gilbert, C. S., and Eppson, H. F., 1939, The use of indicator plants in locating seleniferous areas in Western United States. I. General: Am. Jour. Botany, v. 26, p. 257-269.
- Behne, W., 1953, Untersuchungen zur Geochemie des Chlor und Brom: Geochim. et Cosmochim. Acta, v. 3, p. 186-214.
- Bell, K. G., 1956, Uranium in precipitates and evaporites, in Contributions to the geology of uranium and thorium: U. S. Geol. Survey Prof. Paper 300, p. 381-386.
- Bell, K. G., Goodman, C., and Whitehead, W. L., 1940, Radioactivity of sedimentary rocks and associated petroleum: Am. Assoc. Petroleum Geologists Bull., v. 24, p. 1529-1547.
- Berg, K., 1943, Physiographical studies on the River Susaa: Folia limnologica Scandinavica, v. 1, Munksgaard, Copenhagen, 174 p.
- Bergmann, Werner, and Burke, D. C., 1956, Contributions to the study of marine products. XL. The nucleosides of sponges. IV. Spongosine: Jour. Org. Chem., v. 21, p. 226-228.
- Bergmann, Werner, Creighton, S. M., and Stokes, W. M., 1956, Contributions to the study of marine products. XL. Waxes and triglycerides of sea anemones: Jour. Org. Chem., v. 21, p. 721-728.
- Bergmann, Werner, and Feeney, R. J., 1949, Contributions to the study of marine products. XXIII. Sterols from sponges of the family Haliclonidae: Jour. Org. Chem., v. 14, p. 1078-1084.
- Bergmann, Werner, McLean, M. J., and Lester, David, 1943, Contributions to the study of marine products. XIII. Sterols from various marine invertebrates: Jour. Org. Chem., v. 8, p. 271-282.
- Bergmann, Werner, and McTigue, F. H., 1948, Contributions to the study of marine products. XXI. Chondrillasterol: Jour. Org. Chem., v. 13, p. 738-741.
- Bergmann, Werner, and Ottke, R. C., 1949, Contributions to the study of marine products. XXIV. The occurrence of brassicasterol in mollusks: Jour. Org. Chem., v. 14, p. 1085-1088.
- Bergmann, Werner, and Stansbury, H. A., Jr., 1943, Contributions to the study of marine products. XIV. Astrol: Jour. Org. Chem., v. 8, p. 283-284.
- Bernard, F., and Lecal-Schlauder, J., 1953, Rôle des flagellés calcaires dans la sédimentation actuelle en Méditerranée: Cong. Géol. Internat., Alger, 1952, sect. IV, fasc. IV, p. 11-23.
- Bernert, Traude, 1951, Radiumbestimmungen an Tiefseesedimenten: Österreich. Akad. Wiss., Mat.-nat. Kl., Sitzungber. Abt. IIa., Bd. 160, p. 99-111.
- Bevelander, G., and Benzer, P., 1948, Calcification in marine molluscs: Biol. Bull., v. 94, p. 176-183.

- Bezrukov, P. L., 1955, [Distribution and rate of sedimentation of silica silts in the Sea of Okhotsk]: Akad. Nauk SSSR Dokl., v. 103, p. 473-476.
- Biggs, D. L., 1957, Petrography and origin of Illinois nodular cherts: Illinois Geol. Survey Circ. 245, 25 p.
- Bilibin, G. 1927, [The isomorphous mixtures in the calcite group]: Mém. Soc. Russe Minéralogie, (2), v. 56, p. 3-36; Chem. Absts., v. 23, 4649.
- Black, Maurice, 1933, The algal sediments of Andros Island, Bahamas: Royal Soc. (London) Philos. Trans., ser. B., v. 222, p. 165-192.
- Blackmon, P. D., and Todd, Ruth, 1959, Mineralogy of some foraminifera as related to their classification and ecology: Jour. Paleontology, v. 33, p. 1-15.
- Blatchley, W. S., and Ashley, G. H., 1901, The lakes of northern Indiana and their associated marl deposits: Indiana Dept. Geol. Nat. Res., Ann. Rept. 25, p. 31-321.
- Blau, M., Deevey, E. S., Jr., and Gross, M. S., 1953, Yale natural radiocarbon measurements, I. Pyramid Valley, New Zealand, and its problems: Science, v. 118, p. 1-6.
- Blumer, M., 1950, Porphyrin dyes and porphyrin-metal complexes in Swiss bitumens: Helv. Chim. Acta, v. 33, p. 1627-1637.
- Blumer, M., 1956, Separation of porphyrins by paper chromatography: Anal. Chem., v. 28, p. 1640-1644.
- Blumer, M., and Erlenmeyer, H., 1950, Analysen schweizerischer Sedimentgesteine: Helv. Chim. Acta, v. 33, p. 45-56.
- Bøggild, O. B., 1912, The deposits of the sea bottom: Danish Oceanogr. Expeds. 1908-1910, Rept., v. 1, p. 255-269.
- Bonython, C. W., 1956, The salt of Lake Eyre, its occurrence in Madigan Gulf and its possible origin: Royal Soc. South Australia Trans., v. 79, p. 66-92.
- Bonython, C. W., and King, D., 1956, The occurrence of native sulphur at Lake Eyre: Royal Soc. South Australia Trans., v. 79, p. 121-130.
- Boswell, P. G. H., 1933, On the mineralogy of the sedimentary rocks: Thos. Murby and Co., London, 393 p.
- Bourcart, J., 1953, Contribution à la connaissance du socle sous-marin de la France le long de la côte méditerranéenne: Cong. Géol. Internat., Alger, 1952, sect. IV, fasc. IV, p. 25-63.
- Bowen, H. J. M., 1956, Strontium and barium in sea water and marine organisms: Marine Biol. Assoc. United Kingdom Jour., v. 35, p. 451-460.
- Bowie, S. H. U., and Atkin, D., 1956, An unusually radioactive fossil fish from Thurso, Scotland: Nature, v. 177, p. 487-488.
- Bradley, W. H., 1925, A contribution to the origin of the Green River formation and its oil shale: Am. Assoc. Petroleum Geologists Bull., v. 9, p. 247-262.
- Bradley, W. H., 1929a, Algal reefs and oolites of the Green River formation: U. S. Geol. Survey Prof. Paper 154, p. 203-224.
- Bradley, W. H., 1929b, The occurrence and origin of analcite and meerschaum beds in the Green River formation of Utah, Colorado, and Wyoming: U. S. Geol. Survey Prof. Paper 158, p. 1-7.

- Bramkamp, R. A., and Powers, R. W., 1958, Classification of Arabian carbonate rocks: Geol. Soc. America Bull., v. 69, p. 1305-1318.
- Bramlette, M. N., 1926, Some marine bottom samples from Pago Pago Harbor, Samoa: Carnegie Inst. Washington Publ. No. 344, Dept. Marine Biology Papers, v. 23, p. 1-35.
- Bramlette, M. N., 1946, The Monterey formation of California and the origin of its siliceous rocks: U. S. Geol. Survey Prof. Paper 212, 57 p.
- Bramlette, M. N., 1958, Significance of coccolithophorids in calcium carbonate deposition: Geol. Soc. America Bull., v. 69, p. 121-126.
- Bramlette, M. N., and Bradley, W. H., 1940, Geology and biology of North-Atlantic deep-sea cores between Newfoundland and Ireland: Part 1. Lithology and general interpretations: U. S. Geol. Survey Prof. Paper 196, p. 1-34.
- Brannon, H. R., Jr., Daughtry, A. C., Perry, D., Whitaker, W. W., and Williams, M., 1957, Radiocarbon evidence on the dilution of atmospheric and oceanic carbon by carbon from fossil fuels: Am. Geophys. Union Trans., v. 38, p. 643-650.
- Breger, I. A., 1955, Radioactive equilibrium in ancient marine sediments: Geochim. et Cosmochim. Acta, v. 8, p. 63-73.
- Bretz, J Harlen, and Horberg, C. L., 1949a, The Ogallala formation west of the Llano Estacado (New Mexico): Jour. Geology, v. 57, p. 477-490.
- Bretz, J Harlen, and Horberg, C. L., 1949b, Caliche in southeastern New Mexico: Jour. Geology, v. 57, p. 491-511.
- Briggs, L. I., 1958, Evaporite facies: Jour. Sed. Petrology, v. 28, p. 46-56.
- Brill, K. G., 1956, Cyclic sedimentation in the Permian system of Tasmania: Royal Soc. Tasmania Papers and Proc., v. 90, p. 131-140.
- Broadhurst, F. M., and Howie, R. A., 1958, On the occurrence of ankerite in a band of non-marine lamellibranchs from the Lancashire Coal Measures: Geol. Mag., v. 95, p. 397-402.
- Brodskaya, N. G., 1949, Karbonatoobrazovanie v Aralskom more: Akad. Nauk SSSR Izv., Geol. Ser., no. 6, p. 112-130.
- Brodskaya, N. G., 1952, Donnye otlozheniya i protsessy osadkoobrazovaniya v Aralskom more: Akad. Nauk SSSR, Inst. Geol. Nauk Trudy, v. 115, Geol. Ser., no. 57, 106 p.
- Broecker, W. S., and Orr, P. C., 1958, Radiocarbon chronology of Lake Lahontan and Lake Bonneville: Geol. Soc. America Bull., v. 69, p. 1009-1032.
- Broecker, W. S., Turekian, K. K., and Heezen, B. C., 1958, The relation of deep sea sedimentation rates to variations in climate: Am. Jour. Sci., v. 256, p. 503-517.
- Broecker, W. S., and Walton, A., 1959, Geochemistry of C^{14} in the freshwater systems: Geochim. et Cosmochim. Acta, v. 16, p. 15-38.
- Brooks, R., Clark, L. M., and Thurston, E. F., 1950, Calcium carbonate and its hydrates: Royal Soc. (London) Philos. Trans., v. 243A, p. 145-167.
- Brown, C. N., 1956, The origin of caliche on the northeastern Llano Estacado, Texas: Jour. Geology, v. 64, p. 1-15.

- Brown, L. S., 1931, Cap-rock petrography: Am. Assoc. Petroleum Geologists Bull., v. 15, p. 509-529.
- Bruevich, S. V., 1946, [Changes in the mode of sedimentation in the Caspian Sea within historical time]: Akad. Nauk SSSR Dokl., v. 52, p. 695-698.
- Bruevich, S. V., 1953, [Geochemistry of silicon in the sea]: Akad. Nauk SSSR Izv., Geol. Ser., no. 4, p. 67-69.
- Bruevich, S. V., and Vinogradova, E. G., 1946, [General features of sedimentation in the Caspian Sea, according to the distribution of carbonates, Fe, Mn, and P in sea deposits]: Akad. Nauk SSSR Dokl., v. 52, p. 789-792.
- Bucher, W. H., 1938, Key to papers published by an institute for the study of modern sediments in shallow seas: Jour. Geology, v. 46, p. 726-755.
- Buckley, E. R., 1909, Geology of the disseminated lead deposits of St. Francois and Washington Counties: Missouri Bur. Geol. Mines, v. 9, pt. 1, 259 p.
- Bundy, W. M., 1956, Petrology of gypsum-anhydrite deposits in southwestern Indiana: Jour. Sed. Petrology, v. 26, p. 240-252.
- Burchard, E. F., 1915, Iron ore in Cass, Marion, Morris, and Cherokee Counties, Texas: U. S. Geol. Survey Bull. 620, p. 69-109.
- Burchard, E. F., 1924, Bauxite associated with siderite: Geol. Soc. America Bull., v. 35, p. 437-448.
- Burns, J. H., and Bredig, M. A., 1956, Transformation of calcite to aragonite by grinding: Jour. Chem. Phys., v. 25, p. 1281.
- Burst, J. F., 1958a, "Glauconite" pellets: Their mineral nature and applications to stratigraphic interpretations: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 310-327.
- Burst, J. F., 1958b, Mineral heterogeneity in "glauconite" pellets: Am. Mineralogist, v. 43, p. 481-497.
- Burton, J. D., Culkin, F., and Riley, J. P., 1959, The abundances of gallium and germanium in terrestrial materials: Geochim. et Cosmochim. Acta, v. 16, p. 151-180
- Byers, H. G., 1936, Selenium occurrence in certain soils in the U. S., with a discussion of related topics (Second Report): U. S. Dept. Agric. Tech. Bull. 530, p. 1-79.
- Calvin, S., and Bain, H. F., 1900, Geology of Dubuque County: Iowa Geol. Survey, v. 10, p. 379-622.
- Canals, M. M., Marignan, R., and Cordier, S., 1949, Adsorption de quelques ions métalliques en solution très diluée, I.: Ann. Pharm. Franç., v. 7, p. 502-509.
- Canals, M. M., Marignan, R., and Cordier, S., 1950, Adsorption de quelques ions métalliques en solution très diluée, II.: Ann. Pharm. Franç., v. 8, p. 368-372.
- Canney, F. C., 1952, Some aspects of the geochemistry of potassium, rubidium, cesium, and thallium in sediments: Geol. Soc. America Bull., v. 63, p. 1238.
- Cannon, H. L., 1955, Geochemical relations of zinc-bearing peat to the Lockport dolomite, Orleans County, New York: U. S. Geol. Survey Bull. 1000-D, p. 119-185.

- Carobbi, G., and Pieruccini, R., 1943, Dosatura spettografica del rame in alcune rocce sedimentarie dell' Appennino toscano ed emiliano: Atti Reale Accad. Italia, Classe sci. fis. mat. e nat., v. 14, p. 161.
- Carozzi, A. V., 1952, Tectonique, courants de turbidité et sédimentation. Application au Jurassique supérior des chaînes subalpines de Haute-Savoie: Rev. gén. sci. Paris, p. 229-245.
- Carozzi, A. V., 1953, Données micrographiques sur le crétacé supérieur helvétique: Inst. Nat. Genevois Bull., v. 76, p. 1-76.
- Carozzi, A. V., 1956, An intraformational conglomerate by mixed sedimentation in the Upper Cretaceous of the Roc-de-Chere, autochthonous chains of High Savoy, France: Jour. Sed. Petrology, v. 26, p. 253-257.
- Carozzi, A. V., 1960, Microscopic sedimentary petrography: John Wiley and Sons, New York, 485 p.
- Carozzi, A. V., and Lundwall, W. R., Jr., 1959, Microfacies study of a Middle Devonian bioherm, Columbus, Indiana: Jour. Sed. Petrology, v. 29, p. 343-353.
- Carozzi, A. V., and Zadnik, V. E., 1959, Microfacies of Wabash reef, Wabash, Indiana: Jour. Sed. Petrology, v. 29, p. 164-171.
- Carr, M. H., and Turekian, K. K., 1959, A preliminary report on the geochemistry of cobalt: Presented at annual meeting of the American Geophysical Union.
- Cayeux, Lucien, 1909, Les minerais de fer oolithique de France: I Minerais de fer primaires: Étude des gites minéraux de la France, Service Carte Géol. France, Paris, Imprimerie Nationale, 344 p.
- Cayeux, Lucien, 1922, Les minerais de fer oolithique de France; II Minerais de fer secondaires: Étude des gîtes minéraux de la France, Service Carte Géol. France, Paris, Imprimerie Nationale, 1052 p.
- Cayeux, Lucien, 1932, Les accidents magnésiens du Bassin de Paris, envisagés dans leurs rapports avec les ruptures d'équilibre du fond des mers: Acad. sci. (Paris), Comptes rendus, v. 194, p. 504-507.
- Cayeux, Lucien, 1935, Les roches sédimentaires de France; Roches carbonatées (calcaires et dolomies): Masson et Cie., Paris, 463 p.
- Cayeux, Lucien, 1941, Causes anciennes et causes actuelles en géologie: Masson et Cie., Paris, 79 p.
- Chapman, Frederick, 1900, Notes on the consolidated aeolian sands of Kathiawar: Geol. Soc. London Quart. Jour., v. 56, p. 584-588.
- Chave, K. E., 1954a, Aspects of the biogeochemistry of magnesium: 1. Calcareous marine organisms: Jour. Geology, v. 62, p. 266-283.
- Chave, K. E., 1954b, Aspects of the biogeochemistry of magnesium: 2. Calcareous sediments and rocks: Jour. Geology, v. 62, p. 587-599.
- Chichilo, P., and Whittaker, C. W., 1958, Trace elements in agricultural limestones of the Atlantic Coast regions: Agron. Jour., v. 50, p. 131-135.
- Chow, T. J., and Thompson, T. G., 1955a, Flame photometric determination of strontium in sea water: Anal. Chem., v. 27, p. 18-21.

- Chow, T. J., and Thompson, T. G., 1955b, Flame photometric determinations of calcium in sea water and marine organisms: Anal. Chem., v. 27, p. 910-913.
- Clark, S. P., 1957, A note on calcite-aragonite equilibrium: Am. Mineralogist, v. 42, p. 564-566.
- Clarke, F. W., 1915, Analyses of rocks and minerals from the laboratory of the United States Geol. Survey, 1880-1914: U. S. Geol. Survey Bull. 591, 376 p.
- Clarke, F. W., 1924, The data of geochemistry: U. S. Geol. Survey Bull. 770, 841 p.
- Clarke, F. W., and Wheeler, W. C., 1917, The inorganic constituents of marine invertebrates: U. S. Geol. Survey Prof. Paper 102, 56 p.
- Clarke, F. W., and Wheeler, W. C., 1922, The inorganic constituents of marine invertebrates: U. S. Geol. Survey Prof. Paper 124, 62 p.
- Clarke, J. M., 1900, The water biscuit of Squaw Island, Canandaigua Lake, N. Y.: New York State Mus. Bull., v. 39, p. 195-198.
- Clarke, R. S., Jr., and Altschuler, Z. S., 1958, Determination of the oxidation state of uranium in apatite and phosphorite deposits: Geochim. et Cosmochim. Acta, v. 13, p. 127-142.
- Clayton, R. N., 1959, Oxygen isotope fractionation in the system calcium carbonatewater: Jour. Chem. Phys., v. 30, p. 1246-1250.
- Clayton, R. N., and Degens, E. T., 1959, Use of carbon isotope analyses of carbonates for differentiating fresh-water and marine sediments: Am. Assoc. Petroleum Geologists Bull., v. 43, p. 890-897.
- Clayton, R. N., and Epstein, Samuel, 1958, The relationship between O^{18}/O^{16} ratios in coexisting quartz, carbonate, and iron oxides from various geological deposits: Jour. Geology, v. 66, p. 352-371.
- Cloud, P. E., Jr., 1952, Facies relationships of organic reefs: Am. Assoc. Petroleum Geologists Bull., v. 36, p. 2125-2149.
- Cloud, P. E., Jr., (In press), Calcium carbonate deposition west of Andros Island, Bahamas, with sections by P. D. Blackmon, F. D. Sisler, Henry Kramer, and J. H. Carpenter, and one by E. C. Robertson, L. R. Sykes, and Marcia Newell: U. S. Geol. Survey Prof. Paper.
- Cloud, P. E., Jr., Barnes, V. E., and Bridge, Josiah, 1946, Stratigraphy of the Ellenberger group in central Texas a progress report: Texas Univ. Pub. 4301, p. 133-161.
- Cloud, P. E., Jr., Schmidt, R. G., and Burke, H. W., 1956, Geology of Saipan, Mariana Islands, Part 1. General Geology: U. S. Geol. Survey Prof. Paper 280-A, 126 p.
- Cohen, E., 1952, The nature of silicates and carbonates of iron in the Northampton sand ironstone of central England: Congr. Géol. Internat. XIX, Alger, 1952, Symposium sur les Gisements de Fer du Monde, v. 2, p. 466-471.
- Compston, W., 1960, The carbon isotopic composition of certain marine invertebrates and coals from the Australian Permian: Geochim. et Cosmochim. Acta, v. 18, p. 1-22.

- Conway, Dwight, and Libby, W. F., 1958, The measurement of very slow reaction rates — decarboxylation of alanine: Am. Chem. Soc. Jour., v. 80, p. 1077-1084.
- Correns, C. W., 1924, Adsorptionsversuche mit sehr verdünnten Kupfer- und Bleilösungen und ihre Bedeutung für die Erzlagerstättenkunde: Kolloidzeitschr., v. 34, p. 341-349.
- Correns, C. W., 1928, Anzeichen von Beiziehungen zwischen Strömungen und Bildung küstenferner (eupelagischer) Sedimente: Neues Jahrb., Beil. Bd., v. 57A, p. 1113-1117.
- Correns, C. W., 1937, Die Sedimente des äquatorialen Atlantischen Ozeans: Wiss. Ergeb. d. Deutsche Atl. Exped. "Meteor", Bd. III, Teil 3, de Gruyter, Berlin.
- Correns, C. W., 1941, Beiträge zur Geochemie des Eisens und Mangans: Akad. Wiss. Göttingen, Math.-phys. Kl., Nachr., 1941, p. 219-230.
- Correns, C. W., 1950, Zur Geochemie der Diagenese: Geochim. et Cosmochim. Acta, v. 1, p. 49-54.
- Correns, C. W., 1956, The geochemistry of the halogens: Physics and Chemistry of the Earth, v. 1, p. 181-233.
- Correns, C. W., 1957, Über die Geochemie des Fluors und Chlors: Neues Jahrb. Mineral. Abh., v. 91, p. 239-256 (Festband Schneiderhöhn).
- Coulson, A., 1940, The sand dunes of the Portland District and their relationship to post-Pliocene uplift: Royal Soc. Victoria Proc. lii (2), n. s., p. 315-335.
- Craig, Harmon, 1953, The geochemistry of the stable carbon isotopes: Geochim. et Cosmochim. Acta, v. 3, p. 53-92.
- Craig, Harmon, 1954a, Carbon 13 in plants and the relationships between carbon 13 and carbon 14 variations in nature: Jour. Geology, v. 62, p. 115-149.
- Craig, Harmon, 1954b, Carbon-13 variations in Sequoia rings and the atmosphere: Science, v. 119, p. 141-143.
- Craig, Harmon, 1957a, The natural distribution of radiocarbon and the exchange time of carbon dioxide between atmosphere and sea: Tellus, v. 9, p. 1-17.
- Craig, Harmon, 1957b, Isotopic standards for carbon and oxygen and correction factors for mass-spectrometric analysis of carbon dioxide: Geochim. et Cosmochim. Acta, v. 12, p. 133-149.
- Craig, Harmon, and Boato, Giovanni, 1955, Isotopes: Ann. Rev. Phys. Chem., v. 6, p. 403-432.
- Crane, G. W., 1912, The iron ores of Missouri: Missouri Bur. Geol. and Mines, v. 10, second series, p. 1-434.
- Crane, H. R., 1956, University of Michigan radiocarbon dates I.: Science, v. 124, p. 664-672.
- Crickmay, G. W., Ladd, H. S., and Hoffmeister, J. E., 1941, Shallow-water Globigerina sediments: Geol. Soc. America Bull., v. 52, p. 79-106.
- Crittenden, M. D., Jr., 1956, Syngenetic deposits, in Symposium sobre yacimentos de manganeso: v. III, p. 177-193, XX Congr. Geol. Internat., Mexico City, 1956.

- Culkin, F., and Riley, J. P., 1958, The occurrence of gallium in marine organisms: Marine Biol. Assoc. United Kingdom Jour., v. 37, p. 607-615.
- Cullis, C. G., 1904, The mineralogical changes observed in the cores of the Funafuti borings, in The atoll of Funafuti: Royal Soc. London, p. 392-420.
- Dachnowski, Alfred, 1912, Peat deposits of Ohio: Ohio Geol. Survey Bull. 16, 4th Ser., 424 p.
- Dale, N. C., 1915, The Cambrian manganese deposits of Conception and Trinity Bays, Newfoundland: Am. Philos. Soc., v. 54, p. 371-476.
- Daly, R. A., 1909, First calcareous fossils and the evolution of the limestones: Geol. Soc. America Bull., v. 20, p. 153-170.
- Daly, R. A., 1917, Low-temperature formation of alkaline feldspars in limestones: Nat. Acad. Sci. Proc., v. 3, p. 659-665.
- Damon, H. G., 1943, The origin and distribution of spiculite near Lampasas, Lampasas County, Texas: Texas Univ. Pub. 4301, p. 271-282.
- Daniels, F., and Saunders, D. R., 1951, The thermoluminescence of crystals: Final Report, Contract No. AT (11-1)-27 between the Atomic Energy Commission and the University of Wisconsin, for the period June 1, 1949 June 30, 1951.
- Danilova, V. V., 1949, [Content of fluorine in rocks]: Akad. Nauk SSSR, Biogeokhim. Lab. Trudy, no. 9, p. 129-134.
- Dapples, E. C., 1941, Surficial deposits of the deserts of Syria, Trans-Jordan, Iraq, and western Iran: Jour. Sed. Petrology, v. 11, p. 124-141.
- Dapples, E. C., 1942, The effect of macro-organisms upon near-shore marine sediments: Jour. Sed. Petrology, v. 12, p. 118-126.
- Daughtry, A. C., Perry, Douglas, and Williams, Milton, (In press), Significance of magnesium isotopic distribution in dolomite: Presented at the Symposium on the Geochemistry of Sedimentary Carbonate Rocks, Copenhagen, Denmark, August 18, 1960: Geochim. et Cosmochim. Acta.
- Davidson, C. F., and Atkin, D., 1953, On the occurrence of uranium in phosphate rock: Congr. Geol. Internat. XIX, Alger, 1952, sect. XI, fasc. XI, p. 13-31.
- Davies, W. E., 1949, Caverns of West Virginia: West Virginia Geol. Survey Rept., v. 19, p. 1-353.
- Davis, C. A., 1900, A remarkable marl lake: Jour. Geology, v. 8, p. 498-503.
- Davis, C. A., 1901, A second contribution to the natural history of marl: Jour. Geology, v. 9, p. 491-506.
- Davis, C. A., 1903, A contribution to the natural history of marl: Michigan Geol. Survey, v. 8, pt. 3, p. 65-96.
- Debenedetti, A., 1958, On the mechanical activation of thermoluminescence in calcite: Nuovo cimento, v. 7, p. 251-254.
- Deevey, E. S., Jr., Gross, M. S., Hutchinson, G. E., and Kraybill, H. L., 1954, The natural $C^{\dot{1}\dot{4}}$ contents of materials from hard-water lakes: Natl. Acad. Sci. Proc., Washington, D. C., v. 40, p. 285-288.

- Degenhardt, Heinz, 1957, Untersuchungen zur geochemischen Verteilung des Zirkoniums in der Lithosphäre: Geochim. et Cosmochim. Acta, v. 11, p. 279-309.
- Degens, E. T., Williams, E. G., and Keith, M. L., 1958, Environmental studies of Carboniferous sediments. Part II. Application of geochemical criteria: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 981-987.
- Dellwig, L. F., 1955, Origin of the Salina salt of Michigan: Jour. Sed. Petrology, v. 25, p. 83-110.
- Dellwig, L. F., and Briggs, L. I., Jr., 1952, Textural relationships in the Salina salt of Michigan: Geol. Soc. America Bull., v. 63, p. 1242.
- de Vries, H., 1958, Atomic bomb effect: Variation of radiocarbon in plants, shells, and snails in the past 4 years: Science, v. 128, p. 250-251.
- de Vries, H., 1959, Measurement and use of natural radiocarbon, in Researches in Geochemistry (P. H. Abelson, ed.): p. 169-189, John Wiley and Sons, New York.
- de Vries, H., and Barendsen, G. W., 1954, Measurements of age by the carbon-14 technique: Nature, v. 174, p. 1138-1141.
- Dickey, J. B. R., 1923, Calcareous marl in Pennsylvania south of the terminal moraine: Pennsylvania Topographic and Geol. Survey Bull. 76, 10 p.
- Dietz, R. S., Emery, K. O., and Shepard, F. P., 1942, Phosphorite deposits on the sea floor off southern California: Geol. Soc. America Bull., v. 53, p. 815-847.
- Dixon, J. K., and Kidson, E. B., 1940, The influence of Southland limestones on the cobalt content of pasture at Morton Mains: New Zealand Jour. Sci. and Technology, v. 22, p. 1A-6A.
- Donath, M., 1957, Zur Genesis von Lagerstätten dichten Magnesits: Neues Jahrb. Mineral., Abh., v. 91, p. 573-584.
- Dott, R. H., Jr., 1958, Cyclic patterns in mechanically deposited Pennsylvanian limestones of northeastern Nevada: Jour. Sed. Petrology, v. 28, p. 3-14.
- Dragunov, V. I., and Katchenkov, S. M., 1953, [Celestite and barite from Neogenic sediments of South Mangyshlak]: Akad. Nauk SSSR Dokl., v. 93, p. 315-318.
- Dreimanis, Aleksis, 1957, Depths of leaching in glacial deposits: Science, v. 126, p. 403-404.
- Dreyfuss, Maurice, 1933, Sur une roche à radioles d'oursins: Acad. sci. (Paris) Comptes rendus, v. 12, p. 174-175.
- Dunbar, C. O., and Rodgers, John, 1957, Principles of stratigraphy: John Wiley and Sons, New York, 356 p.
- Dunham, K. C., and Rose, W. C. C., 1949, Permo-Triassic geology of South Cumberland and Furness: Geologists' Assoc., London, Proc., v. 60, p. 11-40.
- Dunn, J. R., 1953, The origin of the deposits of tufa in Mono Lake: Jour. Sed. Petrology, v. 23, p. 18-23.
- Dunn, J. R., and Fisher, D. W., 1954, Occurrence, properties, and paragenesis of anthraxolite in the Mohawk Valley: Am. Jour. Sci., v. 252, p. 489-501.

- Dunning, H. N., Moore, J. W., and Myers, A. T., 1954, Properties of porphyrins in petroleum: Ind. Eng. Chem., v. 46, p. 2000-2007.
- Durrell, Cordell, 1953, Geological investigations of strontium deposits in southern California: California Dept. Nat. Res., Div. Mines Special Rept. 32, 48 p.
- Dzulynski, S., Ksiazkiewicz, M., and Kuenen, Ph. H., 1959, Turbidites in flysch of the Polish Carpathian Mountains: Geol. Soc. America Bull., v. 70, p. 1089-1118.
- Eardley, A. J., 1932, A limestone chiefly of algal origin in the Wasatch conglomerate, southern Wasatch Mountains, Utah: Michigan Acad. Sci. Papers, v. 16, p. 399-414.
- Eardley, A. J., 1938, Sediments of Great Salt Lake, Utah: Am. Assoc. Petroleum Geologists Bull., v. 22, p. 1305-1411.
- Eberius, Ernst, and Kowalski, Werner, 1952, Fluorbestimmung in Erzen und Schlacken: Zeitschr. Erzbergbau u. Metallhüttenwesen, v. 5, p. 131-136.
- Eberle, A. R., and Lerner, M. W., 1955, The separation and determination of scandium. Spectrographic method using alizarin red S: U. S. Atomic Energy Commission, NBL-106, 24 p.
- Edgington, Glen, and Byers, H. G., 1942, Geology and biology of North-Atlantic deep-sea cores between Newfoundland and Ireland: Part 9. Selenium content and chemical analyses: U. S. Geol. Survey Prof. Paper 196, p. 151-155.
- Edie, R. W., 1958, Mississippian sedimentation and oil fields in southeastern Saskatchewan: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 94-126.
- Edie, R. W., 1959, Middle Devonian sedimentation and oil possibilities, central Saskatchewan, Canada: Am. Assoc. Petroleum Geologists Bull., v. 43, p. 1026-1057.
- Edwards, Wilfrid, and Stubblefield, C. J., 1948, Marine bands and other faunal marker-horizons in relation to the sedimentary cycles of the Middle Coal Measures of Nottinghamshire and Derbyshire; with an appendix on the petrography of two sedimentary cycles, by K. C. Dunham: Geol. Soc. London Quart. Jour., v. 103, p. 209-260.
- Ehrlich, W. A., and Rice, H. M., 1955, Post-glacial weathering of Mankato Till in Manitoba: Jour. Geology, v. 63, p. 527-537.
- Einsele, G., and Mosebach, R., 1955, Zur Petrographie, Fossilerhaltung und Entstehung der Gesteine des Posidonienschiefers im schwäbischen Jura: Neues Jahrb. Geologie u. Paläontolgie Abh., v. 101, p. 319-427.
- Ellsworth, E. W., and Wilgus, W. L., 1930, The varved clay deposit at Waupaca, Wisconsin: Wisconsin Acad. Sci. Trans., v. 25, p. 99-111.
- El Wardani, S. A., 1957, On the geochemistry of germanium: Geochim. et Cosmochim. Acta, v. 13, p. 5-19.
- Emery, K. O., 1954, Some characteristics of southern California sediments: Jour. Sed. Petrology, v. 24, p. 50-59.
- Emery, K. O., 1956, Sediments and water of Persian Gulf: Am. Assoc. Petroleum Geologists Bull., v. 40, p. 2534-2583.

- Emery, K. O., 1960, The sea off southern California: John Wiley and Sons, New York, 366 p.
- Emery, K. O., Gorsline, D. S., Uchipi, E., and Terry, R. D., 1957, Sediments of three bays of Baja California: Sebastian Viscaino, San Cristobal, and Todos Santos: Jour. Sed. Petrology, v. 27, p. 95-115.
- Emery, K. O., and Rittenberg, S. C., 1952, Early diagenesis of California basin sediments in relation to origin of oil: Am. Assoc. Petroleum Geologists Bull., v. 36, p. 735-806.
- Emery, K. O., and Stevenson, R. E., 1950, Laminated beach sand: Jour. Sed. Petrology, v. 20, p. 220-223.
- Emery, K. O., Tracey, J. I., Jr., and Ladd, H. S., 1954, Bikini and nearby atolls. I. Geology: U. S. Geol. Survey Prof. Paper 260-A, 265 p.
- Emig, W. H., 1917, Travertine deposits of Oklahoma: Oklahoma Geol. Survey Bull. 29, 76 p.
- Emiliani, C., 1955a, Pleistocene temperatures: Jour. Geology, v. 63, p. 538-578.
- Emiliani, C., 1955b, Pleistocene temperature variations in the Mediterranean: Quaternaria, v. 2, p. 87-98.
- Emiliani, C., 1956, Oligocene and Miocene temperatures of the equatorial and subtropical Atlantic Ocean: Jour. Geology, v. 64, p. 281-288.
- Emiliani, C., 1957, Temperature and age analysis of deep-sea cores: Science, v. 125, p. 383-387.
- Emiliani, C., and Edwards, G., 1953, Tertiary ocean bottom temperatures: Nature, v. 171, p. 887-888.
- Engel, A. E. J., Clayton, R. N., and Epstein, S., 1958, Variations in isotopic composition of oxygen and carbon in Leadville limestone (Mississippian, Colorado) and in its hydrothermal and metamorphic phases: Jour. Geology, v. 66, p. 374-393.
- Engel, A. E. J., and Engel, C. G., 1956, Distribution of copper, lead, and zinc in hydrothermal dolomites associated with sulfide ore in the Leadville limestone (Mississippian, Colorado): Geol. Soc. America Bull., v. 67, p. 1692.
- Engel, A. E. J., and Patterson, C., 1957, Isotopic composition of lead in Lead-ville limestone, hydrothermal dolomite, and associated ore: Geol. Soc. America Bull., v. 68, p. 1723.
- Engelhardt, W. von, 1936, Die Geochemie des Bariums: Chem. d. Erde, v. 10, p. 187-246.
- Epstein, Samuel, 1959, The variations of the O^{18}/O^{16} ratio in nature and some geologic implications, in Researches in Geochemistry (P. H. Abelson, ed.): John Wiley and Sons, New York, p. 217-240.
- Epstein, S., Buchsbaum, R., Lowenstam, H., and Urey, H. C., 1951, Carbonatewater isotopic temperature scale: Geol. Soc. America Bull., v. 62, p. 417-426.
- Epstein, S., Buchsbaum, R., Lowenstam, H. A., and Urey, H. C., 1953, Revised carbonate-water isotopic temperature scale: Geol. Soc. America Bull., v. 64, p. 1315-1326.

- Epstein, S., and Lowenstam, H. A., 1953, Temperature-shell-growth relations of Recent and interglacial Pleistocene shoal-water biota from Bermuda: Jour. Geology, v. 61, p. 424-438.
- Epstein, S., and Mayeda, T., 1953, Variation of O¹⁸ contents of water from natural sources: Geochim. et Cosmochim. Acta, v. 4, p. 213-224.
- Erämetsä, O., 1938, Über die Verbreitung des Indiums in finnischen mineralien und über seine Trennung von anderen Metallen: Suomalainen tiedeakatemia, Toimituksa, Sarja A, v. 51, 92 p.
- Erd, R. C., Evans, H. T., Jr., and Richter, D. H., 1957, Smythite, a new iron sulfide, and associated pyrrhotite from Indiana: Am. Mineralogist, v. 42, p. 309-333.
- Erickson, R. L., Myers, A. T., and Horr, C. A., 1954, Association of uranium and other metals with crude oil, asphalt, and petroliferous rock: Am. Assoc. Petroleum Geologists Bull., v. 38, p. 2200-2218.
- Ericson, D. B., 1959, The crystalline layer on the tests of planktonic foraminifera: Preprints of abstracts, International Oceanographic Congress, 31 August 12 September, 1959, p. 94-95, Am. Assoc. Adv. Sci., Washington, D. C.
- Ericson, D. B., Broecker, W. S., Kulp, J. L., and Wollin, G., 1956, Late-Pleistocene climates and deep-sea sediments: Science, v. 124, p. 385-389.
- Ericson, D. B., Ewing, W. M., and Heezen, B. C., 1952, Turbidity currents and sediments in North Atlantic: Am. Assoc. Petroleum Geologists Bull., v. 36, p. 489-511.
- Ericson, D. B., Ewing, M., Heezen, B. C., and Wollin, G., 1955, Sediment deposition in deep Atlantic: Geol. Soc. America Spec. Paper 62, p. 205-220.
- Ericson, D. B., and Heezen, B. C., 1959, Distribution of fine sediment as an indication of deep current direction: Preprints of abstracts, International Oceanographic Congress, 31 August 12 September, 1959, p. 454-455, Am. Assoc. Adv. Sci., Washington, D. C.
- Ericson, D. B, and Wollin, G., 1956a, Correlation of six cores from the equatorial Atlantic and the Caribbean: Deep-Sea Research, v. 3, p. 104-125.
- Ericson, D. B., and Wollin, G., 1956b, Micropaleontological and isotopic determinations of Pleistocene climates: Micropaleont., v. 2, p. 257-270.
- Erlenmeyer, H., Oppliger, W., Stier, K., Blumer, M., 1950, Die Bestimmung von Uran in Gesteinen. Geochemische Untersuchungen I.: Helv. Chim. Acta, v. 33, p. 25-36.
- Ernst, W., Krejci-Graf, K., and Werner, H., 1958, Parallelisierung von Leithorizonten im Ruhrkarbon mit Hilfe des Bor-Gehaltes: Geochim. et Cosmochim. Acta, v. 14, p. 211-222.
- Espenshade, G. H., 1954, Geology and mineral deposits of the James River-Roanoke River manganese district, Virginia: U. S. Geol. Survey Bull. 1008, 155 p.
- Evans, G. L., 1946a, Celestite deposits in Texas: Texas Univ. Pub. 4301, p. 113-131.
- Evans, G. L., 1946b, Barite deposits in Texas: Texas Univ. Pub. 4301, p. 105-111.
- Evans, J. W., 1900, Mechanically-formed limestones from Junagarh (Kathiawar) and other localities: Geol. Soc. London Quart. Jour., v. 56, p. 559-583.

- Evans, R. D., and Goodman, Clark, 1941, Radioactivity of rocks: Geol. Soc. America Bull., v. 52, p. 459-490.
- Evans, R. D., Kip, A. F., and Moberg, E. G., 1938, The radium and radon content of Pacific Ocean water, life, and sediments: Am. Jour. Sci., v. 36, p. 241-259.
- Ewald, H., Garbe, S., and Ney, P., 1956, Die Isotopen-Zusammensetzung von Strontium aus Meerwasser und aus Rubidium-armen Gesteinen: Zeitschr. Naturforsch., v. 11a, p. 521-522.
- Fairbank, N. G., 1956, Methods and preliminary results in a study of minerals from the eastern Gulf of Mexico: Jour. Sed. Petrology, v. 26, p. 268-275.
- Fairbridge, R. W., 1957, The dolomite problem, in Regional aspects of carbonate deposition: Spec. Pub. 5, Soc. Econ. Paleont. Mineral., Tulsa, Oklahoma, p. 125-178.
- Faivre, R., 1946, Étude par diffraction des rayons X des carbonates mixtes de calcium et de baryum: Acad. sci. (Paris), Comptes rendus, v. 222, p. 227.
- Fall, Delos, 1903, Marls and clays of Michigan: Michigan Geol. Survey, v. 8, pt. 3, p. 343-354.
- Feely, H. W., and Kulp, J. L., 1957, The origin of Gulf Coast salt dome sulfur deposits: Am. Assoc. Petroleum Geologists Bull., v. 41, p. 1802-1853.
- Fellenberg, Th. von, 1924, Untersuchungen über das Vorkommen von Jod in der Natur: VII. Über den Jodgehalt der Gesteine, der geologischen Formationen und der Mineralien und über die Bedingungen der Jodanreicherung in Erden: Biochem. Zeitschr., v. 152, p. 153-171.
- Fersmann, A., 1929, Geochemische Migration der Elemente und deren wissenschaftliche und wirtschaftliche Bedeutung: Abh. zur praktischen Geologie und Bergwirtschaftslehre, v. 19.
- Fischer, A. G., 1949, Petrology of Eocene limestones in and around the Citrus-Levy county area, Florida: Florida Geol. Survey Rept. Inv. 9, p. 41-70.
- Fischer, Georg, 1957, Über die Bitumenmergel von Seefeld in Tirol: Geol. Jahrb., v. 74, p. 63-74.
- Fisk, H. N., 1951, Loess and Quaternary geology of the lower Mississippi Valley: Jour. Geology, v. 59, p. 333-356.
- Fitzgerald, P. E., and Thomas, W. A., 1932, The occurrence of fluorite in the Monroe formation of the Mount Pleasant oil pool: Michigan Acad. Sci. Papers, v. 16, p. 415-420.
- Flint, D. E., 1949, Natural limestone walls of Okinawa: Geol. Soc. America Bull., v. 60, p. 1968.
- Flint, R. F., and Gale, W. A., 1958, Stratigraphy and radiocarbon dates at Searles Lake, California: Am. Jour. Sci., v. 256, p. 689-714.
- Florenskij, V. P., and Bal'shina, B. V., 1948, [Siderite in the Devonian deposits of the western part of the Bashkirian ASSR]: Akad. Nauk SSSR Dokl., v. 62, p. 689-692.
- Foerste, A. F., 1913, A chemical study of the Trenton and Stones River rocks in central Kentucky: Kentucky Geol. Survey, 4th Ser., v. 1, p. 377-385.

- Folk, R. L., 1958, Petrography of the Beekmantown group of carbonate rocks, Centre County, Pennsylvania: Unpublished manuscript, 289 p.
- Folk, R. L., 1959, Practical petrographic classification of limestones: Am. Assoc. Petroleum Geologists Bull., v. 43, p. 1-38.
- Folk, R. L., and Weaver, C. E., 1952, A study of the texture and composition of chert: Am. Jour. Sci., v. 250, p. 498-510.
- Ford, W. E., 1917, Studies in the calcite group: Connecticut Acad. Arts and Sci. Trans., v. 22, p. 211-248.
- Forman, M. J., and Schlanger, S. O., 1957, Tertiary reef and associated limestone facies from Louisiana and Guam: Jour. Geology, v. 65, p. 611-627.
- Forsman, J. P., and Hunt, J. M., 1958, Insoluble organic matter (kerogen) in sedimentary rocks: Geochim. et Cosmichim. Acta, v. 15, p. 170-182.
- Fosberg, F. R., 1954, Soils of the northern Marshall atolls, with special reference to the Jemo series: Soil Science, v. 78, p. 99-107.
- Fosberg, F. R., 1957, Description and occurrence of atoll phosphate rock in Micronesia: Am. Jour. Sci., v. 255, p. 584-592.
- Frankel, Larry, 1957, Relative rates of loess deposition in Nebraska: Jour. Geology, v. 65, p. 649~652.
- Fredriksson, Kurt, 1959, On the origin, age, and distribution of "cosmic spherules": Preprints of abstracts, International Oceanographic Congress, 31 August 12 September, 1959, p. 456-457, Am. Assoc. Adv. Sci., Washington, D. C.
- Frolova, E. K., 1955, [Magnesite in the Lower Permian deposits of Kujbishev and Saratov, Volga region]: Akad. Nauk SSSR Izv., Geol. Ser., p. 89-96.
- Frondel, Clifford, 1958, Geochemical scavenging of strontium: Science, v. 128, p. 1622-1623.
- Frondel, Clifford, and Bauer, L. H., 1955, Kutnahorite: a manganese dolomite, CaMn $(CO_3)_2$: Am. Mineralogist, v. 40, p. 748-760.
- Füchtbauer, Hans, 1950, Die nichtkarbonatischen Bestandteile des Göttinger Muschelkalkes: Heidelb. Beitr. z. Min. und Petrog., v. 2, p. 235-254.
- Füchtbauer, Hans, 1956, Zur Entstehung und Optik authigener Felspäte: Neues Jahrb. f. Mineralog. Monatsh., v. 1, p. 9-23.
- Füchtbauer, Hans, 1958, Die Schuttigen im Chatt und Aquitan der deutschen Alpenvorlandsmolasse: Eclog. Geol. Helv., v. 51, p. 928-941 (cited as "In press").
- Gabelman, J. W., 1956, Uranium deposits in limestone, in Contributions to the geology of uranium and thorium: U. S. Geol. Survey Prof. Paper 300, p. 387-404.
- Gale, H. S., 1914, Late developments of magnesite deposits in California and Nevada: U. S. Geol. Survey Bull. 540, p. 483-520.
- Gast, P. W., 1955, Abundance of Sr^{87} during geologic time: Geol. Soc. America Bull., v. 66, p. 1449-1454.
- Geikie, Sir Archibald, 1903, Textbook of geology: v. I, 4th ed., MacMillan and Co., New York.

- Geological Survey of Great Britain, 1956, the limestones of Scotland, chemical analyses and petrography: Spec. Repts. Mineral Resources of Great Britain, v. XXXVII, 150 p.
- George, T. N., and Oswald, D. H., 1957, The Carboniferous rocks of the Donegal syncline: Geol. Soc. London Quart. Jour., v. 113, p. 137-178.
- Gil-av, E., Heller, S., and Steckel, F., 1954, The Um Barek oil shales: Res. Council Israel Bull., v. 4, p. 136-143.
- Ginsburg, R. N., 1956, Environmental relationships of grain size and constituent particles in some south Florida carbonate sediments: Am. Assoc. Petroleum Geologists Bull., v. 40, p. 2384-2427.
- Ginsburg, R. N., and Lowenstam, H. A., 1958, The influence of marine bottom communities on the depositional environment of sediments: Jour. Geology, v. 66, p. 310-318.
- Godwin, H., 1951, Comments on radiocarbon dating for samples from the British Isles: Am. Jour. Sci., v. 249, p. 301-307.
- Goldberg, E. D., 1954, Marine geochemistry. 1 Chemical scavengers of the sea: Jour. Geology, v. 62, p. 249-265.
- Goldberg, E. D., 1957, Biogeochemistry of trace metals: Geol. Soc. America Mem. 67, p. 345-357.
- Goldberg, E. D., and Arrhenius, G. O. S., 1958, Chemistry of Pacific pelagic sediments: Geochim. et Cosmochim. Acta, v. 13, p. 153-212.
- Goldberg, E. D., and Koide, Minoru, 1958, Ionium-thorium chronology in deep-sea sediments of the Pacific: Science, v. 128, p. 1003.
- Goldich, S. S., Ingamells, C. O., and Thaemlitz, Doris, 1959, The chemical composition of Minnesota lake marl comparison of rapid and conventional chemical methods: Econ. Geology, v. 54, p. 285-300.
- Goldich, S. S., and Parmalee, E. B., 1947, Physical and chemical properties of Ellenberger rocks, Llano County, Texas: Am. Assoc. Petroleum Geologists Bull., v. 31, p. 1982-2020.
- Goldman, M. I., 1926, Proportions of detrital organic calcareous constituents and their chemical alteration in a reef sand from the Bahamas: Carnegie Inst. Washington Pub. 344, v. 23, p. 39-65.
- Goldschmidt, V. M., 1937, The principles of distribution of chemical elements in minerals and rocks: Chem. Soc. London Jour., p. 655-672.
- Goldschmidt, V. M., Berman, H., Hauptmann, H., and Peters, C., 1933, Zur Geochemie der Alkalimetalle: Gesell. Wiss. Göttingen Nachr., Math.-phys. Kl., p. 235-244.
- Goldschmidt, V. M., Krejci-Graf, K., and Witte, H., 1948, Spuren-Metalle in Sedimenten: Akad. Wiss. Göttingen Nachr., Math.-phys. Kl., p. 35-52.
- Goldschmidt, V. M., and Peters, C., 1931a, Zur Geochemie des Galliums: Gesell. Wiss. Göttingen Nachr., Math.-phys. Kl., p. 165-183.
- Goldschmidt, V. M., and Peters, C., 1931b, Zur Geochemie des Scandiums: Gesell. Wiss. Gottingen Nachr., Math.-phys. Kl., III, IV, p. 257-279.

- Goldschmidt, V. M., and Peters, C., 1932, Zur Geochemie des Bors: Gesell. Wiss. Göttingen Nachr., Math.-phys. Kl., no. 31, p. 535-544.
- Goldsmith, J. R., 1953, A "simplexity principle" and its relation to "ease" of crystallization: Jour. Geology, v. 61, p. 439-451.
- Goldsmith, J. R., 1956, Exsolution of dolomite from calcite: Geol. Soc. America Bull., v. 67, p. 1699.
- Goldsmith, J. R., 1957, Exsolution of ordered rhombohedral carbonates in the systems CaCO₃-MgCO₃ and CaCO₃-MnCO₃: Acta Cryst., v. 10, p. 762.
- Goldsmith, J. R., 1959, Some aspects of the geochemistry of carbonates. *in* Researches in Geochemistry (P. H. Abelson, ed.), John Wiley and Sons, New York, p. 336-358.
- Goldsmith, J. R., and Graf, D. L., 1957, The system CaO-MnO-CO₂: Solid solution and decomposition relations: Geochim. et Cosmochim. Acta, v. 11, p. 310-334.
- Goldsmith, J. R., and Graf, D. L., 1958, Structural and compositional variations in some natural dolomites: Jour. Geology, v. 66, p. 678-693.
- Goldsmith, J. R., and Graf, D. L., 1960, Subsolidus relations in the system $CaCO_3-MgCO_3-MnCO_3$: Jour. Geology, v. 68, p. 324-335 (cited as "In Press").
- Goldsmith, J. R., Graf, D. L., and Joensuu, O. I., 1955, The occurrence of magnesian calcites in nature: Geochim. et Cosmochim. Acta, v. 7, p. 212-230.
- Gómez de Llarena, J., 1950, La magnésite (giobertite) de la haute vallée de l'Arga (Pyrénées de la Navarre espagnole) et d'Urepel (Basses-Pyrénées): Acad. sci. (Paris), Comptes rendus, v. 231, p. 1521-1522.
- Gould, H. R., and Stewart, R. H., 1935, Continental terrace sediments in the northeastern Gulf of Mexico: Soc. Econ. Paleont. Mineral. Spec. Pub. 3, p. 2-20.
- Graf, D. L., 1952, Preliminary report on the variations in differential thermal curves of low-iron dolomites: Am. Mineralogist, v. 37, p. 1-27.
- Graf, D. L., Blyth, C. R., and Stemmler, R. S., 1957, Mixed layer effects in the rhombohedral carbonates: Geol. Soc. America Bull., v. 68, p. 1737-1738.
- Graf, D. L., Eardley, A. J., and Shimp, N. F., 1959, Dolomite formation in Lake Bonneville, Utah: Geol. Soc. America Bull., v. 70, p. 1610.
- Graf, D. L., and Goldsmith, J. R., 1955, Dolomite-magnesian calcite relations at elevated temperatures and CO₂ pressures: Geochim. et Cosmochim. Acta, v. 7, p. 109-128.
- Graf, D. L., and Goldsmith, J. R., 1956, Some hydrothermal syntheses of dolomite and protodolomite: Jour. Geology, v. 64, p. 173-186.
- Graf, D. L., and Goldsmith, J. R., 1958, The solid solubility of MgCO3 in CaCO3. A revision: Geochim. et Cosmochim. Acta, v. 13, p. 218-219.
- Graf, D. L., and Goldsmith, J. R., (in press), X-ray crystallography of dolomite from Pacific atolls: Part of U. S. Geol. Survey Prof. Paper 260-BB.

- Graf, D. L., and Lamar, J. E., 1955, Properties of calcium and magnesium carbonates and their bearing on some uses of carbonate rocks: Econ. Geology 50th Anniv. Vol., p. 639-713.
- Grahmann, W., 1920, Über Barytocölestin und das Verhältnis von Anhydrit zu Cölestin und Baryt: Neues Jahrb. Mineral. Geol. Paläont., p. 1-23.
- Greenman, N. N., 1951, The origin of the Randville dolomite of Dickinson and Iron Counties, Michigan: Ph. D. thesis, Univ. of Chicago.
- Greenman, N. N., and LeBlanc, R. J., 1956, Recent marine sediments and environments of northeast Gulf of Mexico: Am. Assoc. Petroleum Geologists Bull., v. 40, p. 813-847.
- Grim, R. E., and Allen, V. T., 1938, Petrology of the Pennsylvanian underclays of Illinois: Geol. Soc. America Bull., v. 49, p. 1485-1514.
- Grim, R. E., Lamar, J. E., and Bradley, W. F., 1937, The clay minerals in Illinois limestones and dolomites: Jour. Geology, v. 45, p. 829-843.
- Gripp, K., 1958, Rezente und fossile Flachmeer-Absätze petrologisch betrachtet und gedeutet: Geol. Rundschau, v. 47, p. 83-99.
- Groschopf, P., 1936, Die postglaziale Entwicklung des Grossen Plöner Sees in Ostholstein auf Grund pollenanalytischen Sedimentuntersuchungen: Arch. Hydrobiologie, v. 30, p. 1-84.
- Grout, F. F., 1946, Microscopic characters of vein carbonates: Econ. Geology, v. 41, p. 475-502.
- Gruner, J. W., 1935, The structural relationship of glauconite and mica: Am. Mineralogist, v. 20, p. 699-714.
- Gruner, J. W., 1956, Concentration of uranium in sediments by multiple migration-accretion: Econ. Geology, v. 51, p. 495-520.
- Gubler, Yvonne, and Louis M., 1956, Études d'un certain milieu du Kimmeridgien bitumineux de l'est de la France: Rev. inst. franç. pétrole et Ann. combustibles liquides, v. 11, p. 1536-1543.
- Guilinger, R. R., and Theobald, P. K., 1957, Uranium deposits in oolitic limestone near Mayoworth, Johnson County, Wyoming: U. S. Geol. Survey Bull. 1030-K. p. 335-342.
- Guillou, R. B., and Glass, J. J., 1957, Reconnaissance study of the beach sands of Puerto Rico: U. S. Geol. Survey Bull. 1042-I, p. 273-305.
- Gulbrandsen, R. A., 1958, Petrology of the Meade Peak member of the Phosphoria formation at Coal Canyon, Wyoming: Ph. D. thesis, Stanford University.
- Gulyaeva, L. A., 1951a, [Iodine in the sedimentary minerals of the Devonian period]; Akad. Nauk SSSR Dokl., v. 80, p. 787-789.
- Gulyaeva, L. A., 1951b, [Chloride content in Devonian sediments]: Akad. Nauk SSSR Dokl., v. 80, p. 911-913.
- Gulyaeva, L. A., and Itkina, E. S., 1950, [Distribution of small amounts of nickel and copper in Upper Permian deposits of Tatar ASSR]: Akad. Nauk SSSR Dokl., v. 70, p. 663-665.
- Gwillim, J. C., 1899, Report on the Atlin mining district, British Columbia: Ann. Rept. Geol. Survey Canada, v. 12, pt. B, p. 47-48.

- Haaf, E. ten, 1959, Properties and occurrence of turbidites, in Sedimentology of Recent and old sediments, a symposium: Geol. en Mijnbouw, v. 21, p. 217-222.
- Hack, J. T., 1957, Studies of longitudinal stream profiles in Virginia and Maryland: U. S. Geol. Survey Prof. Paper 294-B, p. 45-97.
- Hadding, Assar, 1932, The pre-Quaternary sedimentary rocks of Sweden, Pt. IV.-Glauconite and glauconite rocks: Lunds Univ. Årsskrift, n.f., v. 28, no. 2; Kungl. Fysiografiska Sallskapets Handlingar, n.f., v. 43, no. 2.
- Hadding, Assar, 1958, The pre-Quaternary sedimentary rocks of Sweden, Pt. VII.-Cambrian and Ordovician limestones: Lunds Univ. Årsskrift, åvd. 2, v. 54, 262 p.
- Hail, W. J., Jr., 1957, Reconnaissance for uranium in asphalt-bearing rocks in the western United States: U. S. Geol. Survey Bull. 1046-E, 30 p.
- Hall, A. L., 1938, Analyses of rocks, minerals, ores, coals, soils, and waters from southern Africa: South Africa Geol. Survey Mem. 32, 868 p.
- Hallimond, A. F., 1925, Iron ores: Bedded ores of England and Wales: Petrography and chemistry: Spec. Rept. Min. Resources, Geol. Survey Great Britain Mem., v. 29.
- Ham, W. E., 1949, Geology and dolomite resources, Mill Creek-Ravia area, Johnson County, Oklahoma: Oklahoma Geol. Survey Circ. 26, p. 1-104.
- Ham, W. E., 1951, Dolomite in the Arbuckle limestone, Arbuckle Mountains, Oklahoma: Geol. Soc. America Bull., v. 62, p. 1446-1447.
- Ham, W. E., 1954, Collings Ranch conglomerate, late Pennsylvanian in Arbuckle Mountains, Oklahoma: Am. Assoc. Petroleum Geologists Bull., v. 38, p. 2035-2045.
- Hamaguti, Hirosi, 1938, [Chemical investigations of deep-sea deposits, I. Radium contents of deep-sea deposits, I]: Jour. Chem. Soc. Japan, v. 59, p. 171-177.
- Hamguti, Hirosi, 1939, [Chemical investigations of deep-sea deposits, IV. The comparison of radium contents of manganese ores and deep-sea deposits]: Jour. Chem. Soc. Japan, v. 60, p. 1-4.
- Hamilton, E. L., 1957, Marine geology of the southern Hawaiian ridge: Geol. Soc. America Bull., v. 68, p. 1011-1026.
- Hamilton, E. L., and Rex, R. W., 1959, Lower Eocene phosphatized *Globigerina* ooze from Sylvania Guyot: U. S. Geol. Survey Prof. Paper 260-W, p. 785-798.
- Handin, J. W., Higgs, D. V., Lewis, D. R., and Weyl, P. K., 1955, Effects of gamma radiation on the experimental deformation of calcite: Geol. Soc. America Bull., v. 66, p. 1571.
- Hanna, M. A., 1931, Alteration of Comanchean limestone of south central Texas: Jour. Sed. Petrology, v. 1, p. 47-54.
- Hanna, M. A., and Wolf, A. G., 1934, Texas and Louisiana salt-dome cap-rock minerals: Am. Assoc. Petroleum Geologists Bull., v. 18, p. 215-225.
- Hanna, M. A., and Wolf, A. G., 1938, Aragonite in Texas and Louisiana salt-dome cap rocks: Am. Assoc. Petroleum Geologists Bull., v. 22, p. 217-220.

- Hansen, Kaj, 1959, Sediments from Danish lakes: Jour. Sed. Petrology, v. 29, p. 38-46.
- Hanson, George, 1956, Manganese in Canada, in Symposium sobre yacimentos de manganeso, v. III, p. 9-14, XX Congr. Geol. Internac., Mexico City, 1956.
- Hanson, W. E., 1959, Some chemical aspects of petroleum genesis, in Researches in Geochemistry (P. H. Abelson. ed.): John Wiley and Sons, New York, p. 104-117.
- Häntzschel, Walter, 1936, Seeigel-Spulsame: Natur und Volk (Senckenb. Naturf. Gesell.), v. 66, p. 293-298.
- Hanzawa, Shoshiro, 1940, Micropaleontological studies of drill cores from a deep well in Kita-Daito-Zima (North Borodino Island): Jubilee Pub. in Commemoration of Prof. H. Yabe's 60th Birthday, v. 2, p. 755-802.
- Harder, H., 1958, Beitrag zur Geochemie des Bors: Angew. Chem. Dtschl., v. 70, p. 708.
- Haring, A., de Vries, A. E., and de Vries, H., 1958, Radiocarbon dating up to 70,000 years by isotopic enrichment: Science, v. 128, p. 472-473.
- Harker, R. I., and Hutta, J. J., 1956, The stability of smithsonite: Econ. Geology, v. 51, p. 375-381.
- Harker, R. I., and Tuttle, O. F., 1955, Studies in the system $CaO-MgO-CO_2$. Part II. Limits of solid solution along the binary join $CaCO_3-MgCO_3$: Am. Jour. Sci., v. 253, p. 274-282.
- Harris, L. D., 1958, Syngenetic chert in the Middle Ordovician Hardy Creek limestone of southwest Virginia: Jour. Sed. Petrology, v. 28, p. 205-208.
- Hartwig, Wilhelm, 1955, Salzmagnesit von Unterbreizbach (Rhön): Chem. d. Erde, v. 17, p. 324-328.
- Hasler, A., 1942, Über den Borgehalt von Böden und Gesteinen: Landwirtsch. Jahrb. Schweiz, v. 56 (cited in Heide and Thiele, 1957).
- Hatch, F. W., and Rastall, R. H., 1938, The petrology of the sedimentary rocks: 3rd edition (revised by Maurice Black), Allen and Unwin, London, 383 p.
- Hattin, D. E., 1957, Depositional environment of the Wreford megacyclothem (lower Permian) of Kansas: Kansas Geol. Survey Bull. 124, 145 p.
- Headden, W. P., 1910, The occurrence of arsenic in soils, plants, fruits, and animals: Colorado Sci. Soc. Proc., v. 9, p. 345-360.
- Heald, M. T., 1952, Origin of chert in the Helderberg limestone of West Virginia: Geol. Soc. America Bull., v. 63, p. 1261.
- Heide, F., and Böhm, G., 1957, Zur Geochemie des Quecksilbers: Chem. d. Erde, v. 19, p. 198-204.
- Heide, F., and Lerz, H., 1955, Zur Geochemie des Bleies: Chem. d. Erde, v. 17, p. 217-222.
- Heide, F., and Moenke, H., 1955, Zur Geochemie des Arsens: Chem. d. Erde, v. 17, p. 181-186.
- Heide, F., and Singer, E., 1950, Zur Geochemie des Kupfer und Zinks: Naturwiss., v. 37, p. 541-542.

- Heide, F., and Thiele, A., 1957, Zur Geochemie des Bors: Chem. d. Erde, v. 19, p. 329-337.
- Hemingway, J. E., 1951, Cyclic sedimentation and the deposition of ironstone in the Yorkshire Lias: Yorkshire Geol. Soc. Proc., v. 27, p. 67-74.
- Hendricks, S. B., and Ross, C. S., 1941, Chemical composition and genesis of glauconite and celadonite: Am. Mineralogist, v. 26, p. 683-708.
- Henson, F. R. S., 1950, Cretaceous and Tertiary reef formations and associated sediments in Middle East: Am. Assoc. Petroleum Geologists Bull., v. 34, p. 215-238.
- Herzog, L. F., Pinson, W. H., Jr., and Cormier, R. F., 1958, Sediment age determination by Rb/Sr analysis of glauconite: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 717-733.
- Heydemann, Annerose, 1959, Adsorption aus sehr verdünnten Kupferlösungen an reinen Tonmineralien: Geochim. et Cosmochim. Acta, v. 15, p. 305-329.
- Higazy, R. A., 1954, Trace elements of volcanic ultrabasic potassic rocks of southwestern Uganda and adjoining part of the Belgian Congo: Geol. Soc. America Bull., v. 65, p. 39-70.
- Hill, J. W., 1957, Uranium-bearing carbonaceous nodules of southwestern Oklahoma: Oklahoma Geol. Survey Mineral Rept. 33, 6 p.
- Hillebrand, W. F., 1900, Distribution and quantitative occurrence of vanadium and molybdenum in rocks of the United States: U. S. Geol. Survey Bull. 167, p. 49-55.
- Hilmy, M. E., 1951, Beach sands of the Mediterranean coast of Egypt: Jour. Sed. Petrology, v. 21, p. 109-120.
- Hirst, D. M., and Nicholls, G. D., 1958, Techniques in sedimentary geochemistry: (1) Separation of the detrital and non-detrital fractions of limestones: Jour. Sed. Petrology, v. 28, p. 468-481.
- Hobbs, C. R. B., 1957, Petrography and origin of dolomite-bearing carbonate rocks of Ordovician age in Virginia: Virginia Polytech. Inst. Bull., v. 50, no. 5, p. 1-128.
- Honess, A. P., and Jeffries, C. D., 1940, Authigenic albite from the Lowville limestone at Bellefonte, Pennsylvania: Jour. Sed. Petrology, v. 10, p. 12-18.
- Horstman, E. L., 1957, The distribution of lithium, rubidium, and cesium in igneous and sedimentary rocks: Geochim. et Cosmochim. Acta, v. 12, p. 1-28.
- Hose, R. K., and Repenning, C. A., 1959, Stratigraphy of Pennsylvanian, Permian, and Lower Triassic rocks of Confusion Range, west-central Utah: Am. Assoc. Petroleum Geologists Bull., v. 43, p. 2167-2196.
- Houbolt, J. J. H. C., 1957, Surface sediments of the Persian Gulf near the Qatar Peninsula: Mouton and Co., The Hague, 113 p.
- Howe, M. A., 1932, The geological importance of lime-secreting algae: U. S. Geol. Survey Prof. Paper 170-E, p. 57-64.
- Howell, J. V., 1931, Silicified shell fragments as an indication of unconformity: Am. Assoc. Petroleum Geologists Bull., v. 15, p. 1103-1104.

- Howie, R. A., and Broadhurst, F. M., 1958, X-ray data for dolomite and ankerite: Am. Mineralogist, v. 43, p. 1210-1214.
- Hoyningen-Huene, Ewald von, 1957, Die texturen der subsalinaren Anhydrite im Harzvorland und ihre stratigraphische und fazielle Bedeutung: Geologie, v. 6, p. 3-47.
- Hübl, H. H., 1941, Chemisch-petrographische Untersuchungen an tertiären Höhlensedimenten und ihre Beziehungen zum Tertiär am Grundgebirgsrand bei Weiz (Steiermark) (eine vorläufige Mitteilung): Zentrbl. Mineral., Abt. A, p. 122-135.
- Hübl, H. H., 1942, Ein petrographisch-chemisches Profil durch kalkige Obersarmatsedimente in der Oststeiermark: Chem. d. Erde, v. 14, p. 453-476.
- Hunt, J. M., 1953, Composition of crude oil and its relation to stratigraphy in Wyoming: Am. Assoc. Petroleum Geologists Bull., v. 37, p. 1837-1872.
- Hunt, J. M., and Jamieson, G. W., 1956, Oil and organic matter in source rocks of petroleum: Am. Assoc. Petroleum Geologists Bull., v. 40, p. 477-488.
- Hunt, J. M., Stewart, F., and Dickey, P. A., 1954, Origin of the hydrocarbons of Uinta Basin: Am. Assoc. Petroleum Geologists Bull., v. 38, p. 1671-1698.
- Hurlbut, C. S., 1957, Zincian and plumbian dolomite from Tsumeb, Southwest Africa: Am. Mineralogist, v. 42, p. 798-803.
- Hutchinson, G. E., 1950, The biogeochemistry of vertebrate excretion: Am. Museum Nat. History, v. 96, 554 p.
- Iler, R. K., 1955, The colloidal chemistry of silica and silicates: Cornell University Press, Ithaca, New York.
- Illing, L. V., 1954, Bahaman calcareous sands: Am. Assoc. Petroleum Geologists Bull., v. 38, p. 1-95.
- Illing, L. V., 1956, Dolomitization in relation to porosity in carbonate rocks: Paper presented at 41st Ann. Meeting, Am. Assoc. Petroleum Geologists, Chicago; cited in Andrichuk (1958).
- Imbrie, John, 1957, Chemical facies in the Florena shale (Permian) of Nebraska, Kansas, and Oklahoma: Presented at Annual Convention, Am. Assoc. Petroleum Geologists, St. Louis.
- Ingerson, Earl, 1953, Nonradiogenic isotopes in geology: A review: Geol. Soc. America Bull., v. 64, p. 301-374.
- Ingerson, Earl, 1955, Methods and problems of geologic thermometry: Econ.
 Geology 50th Anniv. Vol., p. 341-410.
- Instituto Geologico Mexico, 1913, Analisis hecho en el Laboratorio de Quimica del Instituto Geologico de Mexico: Parergones, Inst. Geol. Mexico, v. 5, no. 4, p. 83-189.
- Itkina, E. S., 1948, Med v osadochnykh porodakh kamennougolnykh otlozhenii neftenosnykh raionov Uralo-Povolzhya: Akad. Nauk SSSR Dokl., v. 62, p. 357-360.
- Itkina, E. S., 1956, [Distribution of iodine and bromine in deposits of the Vereisk horizon of the Saratov near-Volga region]: Akad. Nauk SSSR Dokl., v. 107, p. 562-563.
- Itkina, E. S., 1958, [Iodine and bromine in Paleozoic deposits of some petroleum-bearing regions of the Second Baku]: Akad. Nauk SSSR, Trudy Inst. Nefti, v. 9, p. 206-235.

- Ives, R. L., 1959, Shell dunes of the Sonoran shore: Am. Jour. Sci., v. 257, p. 449-457.
- James, H. L., 1951, Iron formation and associated rocks in the Iron River district, Michigan: Geol. Soc. America Bull., v. 62, p. 251-266.
- Jamieson, J. C., 1953, Phase equilibrium in the system calcite-aragonite: Jour. Chem. Phys., v. 21, p. 1385-1390.
- Jamieson, J. C., and Goldsmith, J. R., 1960, Some reactions produced in carbonates by grinding: Am. Mineralogist, v. 45, p. 818-827 (cited "In press").
- Jeffery, P. G., 1959, The geochemistry of tungsten, with special reference to the rocks of the Uganda Protectorate: Geochim. et Cosmochim. Acta, v. 16, p. 278-295.
- Jeffery, P. M., Compston, W., Greenhalgh, D., and de Laeter, J., 1955, On the carbon-13 abundance of limestones and coals: Geochim. et Cosmochim. Acta, v. 7, p. 255-286.
- Jeffries, C. D., 1951, Occurrence of fluorine in limestones and dolomites: Soil Science, v. 71, p. 287-289.
- Jensen, A. T., Wøhlk, C. J., Drenck, K., and Anderson, E. K., 1957, A classification of Danish flints, etc., based on X-ray diffractometry: Progress Rept. D-1, Comm. on Alkali Reactions in Concrete, Danish National Institute of Building Research and the Academy of Technical Sciences, Copenhagen, 37 p.
- Jodry, R. L., 1955, Rapid method for determining magnesium-calcium ratios of well samples and its use in predicting structure and secondary porosity in calcareous formations: Am. Assoc. Petroleum Geologists Bull., v. 39, p. 493-511.
- Jodry, R. L., 1957, Reflection of possible deep structures by Traverse Group facies changes in western Michigan: Am. Assoc. Petroleum Geologists Bull., v. 41, p. 2677-2694.
- Johnson, F., Arnold, J. R., and Flint, R. F., 1957, Radiocarbon dating: Science, v. 125, p. 240-242.
- Johnston, J., Merwin, H. E., and Williamson, E. D., 1916, The several forms of calcium carbonate: Am. Jour. Sci., v. 41, p. 473-513.
- Jones, D. J., 1953, Gypsum-oolite dunes, Great Salt Lake desert, Utah: Am. Assoc. Petroleum Geologists Bull., v. 37, p. 2530-2538.
- Jones, E. J., 1888, Examination of nodular stones obtained by trawling off Colombo: Geol. Surv. India Recs., v. 21, p. 35; from Vinogradov (1953).
- Jones, J. C., 1925, The geologic history of Lake Lahontan: Carnegie Inst. Washington Pub. 352, p. 1-50.
- Jost, Konrad, 1932, Über den Vanadiumgehalt der Sedimentgesteine und sedimentaren Lagerstätten: Chem. d. Erde, v. 7, p. 177-290.
- Jurinak, J. J., and Bauer, Norman, 1956, Thermodynamics of zinc adsorption on calcite, dolomite, and magnesite-type minerals: Soil Science Society Proc., v. 20, p. 466-471.
- Kalkowsky, E., 1921, Mikroskopischer Cölestin in Röt von Jena als geologischer Erscheinung: Zeitschr. Deutsch. Geol. Gesell., v. 73, p. 1-23.

- Kallweit, H., 1949, Mischkristalle des Systems CaCO₃-SrCO₃, mit der Emanier-methode untersucht: Zeitschr. Naturforsch., v. 4A, p. 140-149.
- Katchenkov, S. M., 1952, [Correlation of Lower Permian deposits by chemical elements as determined by spectroscopic analysis]: Akad. Nauk SSSR Dokl., v. 82, p. 961-964.
- Katchenkov, S. M., and Flegontova, E. I., 1955, [Accessory elements in Devonian rocks of the Volga-Ural area]: Akad. Nauk SSSR Dokl., v. 100, p. 749-752.
- Kazakov, A. V., 1937, [The phosphorite facies and the genesis of phosphorites in geological investigations of agricultural ores]: Sci. Inst. Fertilizers and Insecto-Fungicides Trans., v. 142, p. 95-113.
- Kazakov, A. V., 1950, [Fluorapatite-system equilibria under conditions of formation of sedimentary rocks]: Akad. Nauk SSSR, Trudy Inst. Geol. Nauk, vyp. 114, Geol. Ser., no. 40, p. 1-21.
- Kazakov, A. V., and Sokolova, E. I., 1950, [Conditions of the formation of fluorite in sedimentary rocks]: Akad. Nauk SSSR, Inst. Geol. Nauk, Trudy, vyp. 114, Geol. Ser., no. 40, p. 22-64.
- Keith, M. L., and Degens, E. T., 1959, Geochemical indicators of marine and fresh-water sediments, in Researches in Geochemistry (P. H. Abelson, ed.); John Wiley and Sons, New York, p. 38-61.
- Keller, W. D., Klemme, A. W., and Pickett, E. E., 1950, Detailed survey of the chemical composition of rock layers in an agricultural limestone quarry: Econ. Geology, v. 45, p. 461-469.
- Kessler, D. W., and Sligh, W. H., 1927, Physical properties of the principal commercial limestones used for building construction in the United States: U. S. National Bureau of Standards Tech. Paper 349 (in v. 21), p. 497-590.
- Kind, C. A., and Bergmann, Werner, 1942, Contributions to the study of marine products. XI. The occurrence of octadecyl alcohol, butyl alcohol, and cetyl palmitate in Gorgonias: Jour. Org. Chem., v. 7, p. 424-427.
- Kindle, E. M., 1927, The role of thermal stratification: Royal Soc. Canada Trans., v. 21, p. 1-35.
- Kindle, E. M., 1929, A comparative study of different types of thermal stratification in lakes and their influence on the formation of marl: Jour. Geology, v. 37, p. 150-157.
- King, Clarence, 1878, U. S. Geological Exploration of the Fortieth Parallel; Systematic geology: U. S. Army Engineer Dept. Prof. Paper 18, v. 1, 803 p.
- King, D., 1956, Survey of magnesite deposits near Port Germein and Port Augusta: South Australia Dept. Mines Rev., no. 99, p. 97-112.
- King, P. B., 1942, Permian of west Texas and southeast New Mexico: Am. Assoc. Petroleum Geologists Bull., v. 26, p. 535-763.
- King, P. B., Ferguson, H. W., Craig, L. C., and Rodgers, John, 1944, Geology and manganese deposits of northeastern Tennessee: Tennessee Div. Geol. Bull. 52, 275 p.
- Knight, S. H., and Beath, O. A., 1937, The occurrence of selenium and seleniferous vegetation in Wyoming: Wyoming Agric. Exp. Station Bull. 221, 64 p.

- Knopf, Adolph, 1918, Strontianite deposits near Barstow, California: U. S. Geol. Survey Bull. 660, p. 257-270.
- Koczy, F. F., 1956, Weitere Uranbestimmungen an Meerwasserproben: Deep-Sea Research, v. 3, p. 93-103.
- Koczy, F. F., Picciotto, E., Poulaert, G., and Wilgain, S., 1957, Mesure des isotopes du thorium dans l'eau de mer: Geochim. et Cosmochim. Acta, v. 11, p. 103-129.
- Koczy, Gerta, 1950, Further uranium determinations in samples of sea water: Österr. Akad. Wiss., Math.-naturw. Kl., Sitzb., Abt. IIa, v. 158, p. 113-121.
- Kokubu, Nobuhide, 1956, Fluorine in rocks: Memoirs Fac. Science, Kyushu University, Ser. C, Chemistry, v. 2, p. 95-149.
- Kolbin, M. F., and Pimburskaya, M. I., 1955, [Analcime in sedimentary rocks of Great Bogdo Mountain]: Akad. Nauk SSSR Dokl., v. 100, p. 155-157.
- Koritnig, S., 1951, Ein Beitrag zur Geochemie des Fluor: Geochim. et Cosmochim. Acta, v. 1, p. 89-116.
- Kornicker, L. S., and Purdy, E. G., 1957, A Bahaman faecal-pellet sediment: Jour. Sed. Petrology, v. 27, p. 126-128.
- Krasintseva, V. V., and Shishkina, O. V., 1959, [Problems of the distribution of boron in marine sediments]: Akad. Nauk SSSR Dokl., v. 128, p. 815-817.
- Kraus, E. H., 1904, The occurrence of celestite near Syracuse, N. Y., and its relations to the vermicular limestones of the Salina epoch: Am. Jour. Sci., ser. 4, v. 18, p. 30-39.
- Kraus, E. H., 1905a, Occurrence and distribution of celestite-bearing rocks: Am. Jour. Sci., ser. 4, v. 19, p. 286-293.
- Kraus, E. H., 1905b, On the origin of the sulfur deposits at the Woolmith quarry, Monroe County, Michigan: Michigan Acad. Sci. Rept. 7, p. 26-29.
- Kraus, E. H., and Hunt, W. F., 1906, The occurrence of sulphur and celestite at Maybee, Michigan: Am. Jour. Sci., ser. 4, v. 21, p. 237-244.
- Krauskopf, K. B., 1955, Sedimentary deposits of rare metals: Soc. Econ. Geologists 50th Anniv. Vol., p. 411-463.
- Krauskopf, K. B., 1956, Factors controlling the concentrations of thirteen rare metals in sea water: Geochim. et Cosmochim. Acta, v. 9, p. 1-32.
- Krivan, P., 1954, Die Bildung der Karbonatsedimente im Zwischengebiete von Donau und Theiss: Acta Geologica Acad. Sci. Hungaricae, v. 2, p. 91-108.
- Kröll, V. St., 1955, The distribution of radium in deep-sea cores: Swedish Deep-Sea Expedition, 1947-1948, Rept., v. 10, no. 1, p. 1-32.
- Kruger, F. C., 1937, A sedimentary and petrographic study of certain glacial drifts of Minnesota: Am. Jour. Sci., v. 34, p. 345-363.
- Krumbein, W. C., 1951, Occurrence and lithologic associations of evaporites in the United States: Jour. Sed. Petrology, v. 21, p. 63-81.
- Krumbein, W. C., and Garrels, R. M., 1952, Origin and classification of chemical sediments in terms of pH and oxidation-reduction potentials: Jour, Geology, v. 60, p. 1-33.

- Krumholz, L. A., Goldberg, E. D., and Boroughs, Howard, 1957, Ecological factors involved in the uptake, accumulation, and loss of radionuclides by aquatic organisms, in The effects of atomic radiation on oceanography and fisheries: Natl. Acad. Sci.-Natl. Res. Council Pub. 551, p. 69-79.
- Kuenen, Ph. H., 1947, Two problems of marine geology: atolls and canyons: Koninkl. Nederl. Acad. Wetens. Verh. v. 43, 69 p.
- Kuenen, Ph. H., 1954, Eniwetok drilling results: Deep-Sea Research, v. 1, p. 187-189.
- Kuenen, Ph. H., and Carozzi, A., 1953, Turbidity currents and sliding in geosynclinal basins of the Alps: Jour. Geology, v. 61, p. 363-373.
- Kuenen, Ph. H., and Haaf, E. ten, 1956, Graded bedding in limestones: Koninkl. Nederl. Acad. Wetens. Proc., ser. B. Amsterdam, v. 59, p. 314-317.
- Kuenen, Ph. H., and Migliorini, C. I., 1950, Turbidity currents as a cause of graded bedding: Jour. Geology, v. 58, p. 91-127.
- Kulp, J. L., Feely, H. W., and Tryon, L. E., 1951, Lamont natural radiocarbon measurements, I: Science, v. 114, p. 565-568.
- Kulp, J. L., Tryon, L. E., Eckelman, W. R., and Snell, W. E., 1952, Lamont natural radiocarbon measurements, II: Science, v. 116, p. 409-414.
- Kulp, J. L., Turekian, Karl, and Boyd, D. W., 1952, Strontium content of limestone and fossils: Geol. Soc. America Bull., v. 63, p. 701-716.
- Kulstad, R. O., Fairchild, Paul, and McGregor, Duncan, 1956, Gypsum in Kansas: Kansas Geol. Survey Bull. 113, p. 1-110.
- Kuroda, K., 1942, Vanadium, chromium, and molybdenum contents of deep sea deposits: Jour. Chem. Soc. Japan, v. 63, p. 496-499.
- Kuroda, P. K., and Sandell, E. B., 1954, Geochemistry of molybdenum: Geochim. et Cosmochim. Acta, v. 6, p. 35-63.
- Ladd, H. S., 1950, Recent reefs: Am. Assoc. Petroleum Geologists Bull., v. 34, p. 203-214.
- Ladd, H. S., Hoffmeister, J. E., and others, 1945, Geology of Lau, Fiji: Bernice P. Bishop Museum Bull. 181, 399 p.
- Ladd, H. S., Ingerson, Earl, Townsend, R. C., Russell, Martin, and Stephenson, H. K., 1953, Drilling on Eniwetok atoll, Marshall Islands: Am. Assoc. Petroleum Geologists Bull., v. 37, p. 2257-2280.
- Ladd, H. S., Tracey, J. I., Jr., and Lill, G. G., 1948, Drilling on Bikini atoll, Marshall Islands: Science, v. 107, p. 51-54.
- Ladd, H. S., Tracey, J. I., Jr., Wells, J. W., and Emery, K. O., 1950, Organic growth and sedimentation on an atoll: Jour. Geology, v. 58, p. 410-425.
- Laevastu, T., and Mellis, O., 1959, Extra-terrestrial black spherules in deep sea deposits: Preprints of abstracts, International Oceanographic Congress, 31 August - 12 September, 1959, p. 464-465, Am. Assoc. Adv. Sci., Washington, D. C.
- Laevastu, T., and Thompson, T. G., 1956, The determination and occurrence of nickel in sea water, marine organisms and sediments: Jour. du Cons., v. 21, p. 125-143.

- Lamar, J. E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois Geol. Survey Rept. Inv. 200, 33 p.
- Lamar, J. E., and Shrode, R. S., 1953, Water soluble salts in limestones and dolomites: Econ. Geology, v. 48, p. 97-112.
- Lamar, J. E., and Thompson, K. B., 1956, Sampling limestone and dolomite deposits for trace and minor elements: Illinois Geol. Survey Circ. 221, 18 p.
- Lamar, J. E., and Willman, H. B., 1934, Rock wool from Illinois: Mineral resources: Illinois Geol. Survey Bull. 61, p. 21-155.
- Landergren, Sture, 1945, Contribution to the geochemistry of boron; II. The distribution of boron in some Swedish sediments, rocks, and iron ores; The boron cycle in the upper lithosphere: Arkiv Kemi, Miner. och Geol. (K. Svenska Vetensk.), v. 19, 31 p.
- Landergren, Sture, 1948, On the geochemistry of Swedish iron ores and associated rocks. A study of iron-ore formation: Sveriges Geol. Undersökn., Årsbok 42, no. 5, ser. C, no. 496, 182 p.
- Landergren, Sture, 1954, On the relative abundance of the stable carbon isotopes in marine sediments: Deep-Sea Research, v, 1, p. 98-120.
- Landergren, Sture, 1955, Reports of the Swedish Deep-Sea Expedition, 1947-1948.

 The geochemistry of the North Atlantic sediment core No. 238: Göteborgs

 Kungl. Vetenskaps och Vitterhets-Samhalle, v. 7, p. 125-148.
- Landergren, Sture, 1958, Distribution of boron in different size classes in marine clay sediments: Geol. Fören. i Stockholm Förh., v. 80, p. 104-107.
- Łaszkiewicz, A., 1957, Siarka i celestyn z Tarnobrzega i Szydlowa: Arch. Mineral., v. 20, p. 95-120.
- Leighton, M. M., and Willman, H. B., 1950, Loess formations of the Mississippi Valley: Jour. Geology, v. 58, p. 599-623.
- Le Riche, H. H., 1959, The distribution of certain trace elements in the lower Lias of southern England: Geochim. et Cosmochim. Acta, v. 16, p. 101-122.
- Lesley, J. P., 1879, Notes on a series of analyses of the dolomitic limestone rocks of Cumberland County, Pennsylvania: Pennsylvania Second Geol. Survey Rept. MM, p. 311-362.
- Lester, David, and Bergmann, Werner, 1941, Contributions to the study of marine products. VI.—The occurrence of cetyl palmitate in corals: Jour. Org. Chem., v. 6, p. 120-122.
- Lewis, D. R., 1956, The thermoluminescence of dolomite and calcite: Jour. Phys. Chem., v. 60, p. 698-701.
- Lewis, D. R., Weyl, P. K., Handin, J. W., and Higgs, D. V., 1956, Effects of plastic deformation on absorption spectrum and thermoluminescence of calcite: Am. Phys. Soc. Bull., ser. 2, v. 1, p. 87.
- Libby, W. F., 1955, Radiocarbon dating: 2nd edition, University of Chicago Press, $175~\mathrm{p}$.
- Lisitsyn [Lisitzin], A. P., 1955, [Distribution of authigenic ${\rm SiO_2}$ in the bottom sediments of the western Bering Sea]: Akad. Nauk SSSR Dokl., v. 103, p. 479-482.

- Lisitzin [Lisitsyn], A. P., 1959, Bottom sediments of the Antarctic: International Oceanographic Congress, 31 August 12 September, 1959, p. 468-469, Am. Assoc. Adv. Sci., Washington, D. C.
- Lloyd, E. R., 1929, Capitan limestone and associated formations of New Mexico and Texas; Am. Assoc. Petroleum Geologists Bull., v. 13, p. 645-658.
- Longwell, C. R., 1928, Geology of the Muddy Mountains, Nevada: U. S. Geol. Survey Bull. 798, 152 p.
- Lonsdale, J. T., 1930, Euhedral magnesite crystals from Winkler County, Texas: Am. Mineralogist, v. 15, p. 238-239.
- Louderback, G. D., 1920, Preliminary results of a study of the San Francisco Bay sediments: Geol. Soc. America Bull., v. 31, p. 123-125.
- Loughlin, G. F., 1930, Indiana oolitic limestone: Relation of its natural features to its commercial grading: U. S. Geol. Survey Bull. 811-C, p. 113-202.
- Louis, M., and Ravier, J., 1952, Évolution de la matière organique au cours du métamorphisme de l'albien des Pyrénées: Acad. sci. (Paris) Comptes rendus, v. 234, p. 2458-2459.
- Love, J. D., 1953, Preliminary report on uranium deposits in the Miller Hill area, Carbon County, Wyoming: U. S. Geol. Survey Circ. 278, 10 p.
- Love, L. G., 1958, Micro-organisms and the presence of syngenetic pyrite: Geol. Soc. London Quart. Jour., v. 113, p. 429-437, 1957 (pub. 1958).
- Lowe, E. N., 1914, Preliminary report on iron ores of Mississippi: Mississippi Geol. Survey Bull. 10, 70 p.
- Lowenstam, H. A., 1942, Facies relation and origin of some Niagaran cherts: Geol. Soc. America Bull., v. 53, p. 1805-1806.
- Lowenstam, H. A., 1948, Biostratigraphic study of the Niagaran inter-reef formation in northeastern Illinois: Illinois State Mus. Sci. Papers, v. 4, p. 1-146.
- Lowenstam, H. A., 1949, Facies analysis of the Niagaran rocks of Illinois: Illinois Acad. Sci. Trans., v. 42, p. 113-115.
- Lowenstam, H. A., 1950, Niagaran reefs of the Great Lakes area: Jour. Geology, v. 58, p. 430-487.
- Lowenstam, H. A., 1954a, Environmental relations of modification compositions of certain carbonate-secreting marine invertebrates: Natl. Acad. Sci. Proc., v. 40, p. 39-48.
- Lowenstam, H. A., 1954b, Factors affecting the aragonite: calcite ratios in carbonate-secreting marine organisms: Jour. Geology, v. 62, p. 284-321.
- Lowenstam, H. A., 1955, Aragonite needles secreted by algae and some sedimentary implications: Jour. Sed. Petrology, v. 25, p. 270-272.
- Lowenstam, H. A., 1959, O^{18}/O^{16} ratios and Sr and Mg contents of calcareous skeletons of Recent and fossil brachiopods and their bearing on the history of the oceans: Preprints of abstracts, International Oceanographic Congress, 31 August 12 September, 1959, p. 71-72, Am. Assoc. Adv. Sci., Washington, D. C.
- Lowenstam, H. A., and DuBois, E. P., 1946, Marine pool, Madison County, a new type of oil reservoir in Illinois; Illinois Geol. Survey Rept. Inv. 114, 30 p.

- Lowenstam, H. A., and Epstein, S., 1954, Paleo-temperatures in the post-Aptian Cretaceous as determined by the oxygen isotype method: Jour. Geology, v. 62, p. 207-248.
- Lowenstam, H. A., and Epstein, S., 1957, On the origin of sedimentary aragonite needles of the Great Bahama Bank: Jour. Geology, v. 65, p. 364-375.
- Lucas, Gabriel, 1952, Premiers résultats d'une étude sur les produits odorants des calcaires fétides: Acad. sci. (Paris) Comptes rendus, v. 234, p. 121-123.
- Lund, E. H., 1957, Phosphate content of sediments near bird rookeries in south Florida: Econ. Geology, v. 52, p. 582-583.
- Lundegårdh, P. H., 1949, Aspects to the geochemistry of chromium, cobalt, nickel, and zinc: Sveriges Geol. Undersokn., Årsbok 43, no. 11, ser. C, no. 513, 56 p.
- Lundqvist, G., 1936, Sjösediment från mellersta Norrland; Indalsälvens, Ångermanälvens och Umeälvens vattenområden-Binnenseesedimente aus dem mittleren Norrland; Die Fluss-Systeme des Indalsälven, Ångermanälven und Umeälven: Sveriges Geol. Undersökn., Årsbok 31, no. 1, 132 p.
- McCallie, S. W., 1896, A preliminary report on a part of the phosphates and marls of Georgia: Georgia Geol. Survey Bull. 5-A, 101 p.
- McClaine, L. A., Bullwinkel, E. P., and Huggins, J. C., 1956, The carbonate chemistry of uranium theory and applications, in Production technology of the material used for nuclear energy: Internat. Conf. Peaceful Uses Atomic Energy, Geneva, Proc., v. 8, p. 26-37, United Nations, New York.
- McConnell, D., 1943, Phosphatization at Malpelo Island, Colombia: Geol. Soc. America Bull., v. 54, p. 707-716.
- McCrea, J. M., 1950, On the isotopic chemistry of carbonates and a paleotemperature scale: Jour. Chem. Phys., v. 18, p. 849-857.
- McCue, J. B., Lucke, J. B., and Woodward, H. P., 1939, Limestones of West Virginia: West Virginia Geol. Survey Repts., v. 12, 560 p.
- MacDonald, G. J. F., 1954, A critical review of geologically important thermochemical data: Ph.D. thesis, Harvard University.
- MacDonald, G. J. F., 1956, Experimental determination of calcite-aragonite equilibrium relations at elevated temperatures and pressures: Am. Mineralogist, v. 41, p. 744-756.
- McGill, W. M., 1933, Caverns of Virginia: Virginia Geol. Survey Bull. 35, p. 1-187.
- McGregor, D. J., 1954, Gypsum and anhydrite deposits in southwestern Indiana: Indiana Geol. Survey Rept. Progress, no. 8, 24 p.
- McKee, E. D., 1938, Geology of Kapingamaringi Atoll, Caroline Islands: Geol. Soc. America Bull., v. 69, p. 241-278.
- McKelvey, V. E., and Nelson, J. M., 1950, The characteristics of marine uraniumbearing sedimentary rocks: Econ. Geology, v. 45, p. 35-53.
- McKelvey, V. E., Smith, L. E., Hoppin, R. A., and Armstrong, F. C., 1953, Stratigraphic sections of the Phosphoria Formation in Wyoming, 1947-48: U. S. Geol. Survey Circ. 210, 35 p.

- McKelvey, V. E., Swanson, R. W., and Sheldon, R. P., 1953, The Permian phosphorite deposits of western United States: Congr. Géol. Internat., Alger, 1952, sec. XI, fasc. XI, p. 45-64.
- McKerrow, W. S., Taylor, S. R., Blackburn, A. L., and Ahrens, L. H., 1956, Rare alkali elements in trilobites: Geol. Mag., v. 93, p. 504-516.
- Malyuga, D. P., 1949, [The content of Co, Ni, Cu, and other iron family elements]: Akad. Nauk SSSR Dokl., v. 67, p. 1057-1060.
- Mansfield, G. R., 1922, Potash in the greensands of New Jersey: U. S. Geol. Survey Bull. 727, 146 p.
- Marcelet, H., 1913, L'arsenic et le manganèse dans quelques végétaux marins: Inst. Océanogr. Monaco Bull. 258:1-6; no. 265:1-4; discussed in Vinogradov, 1953.
- Marck, W. von der, 1855, Verhandl. Naturhist. Ver. Preuss. Rheinlande u. Westfalens, v. 12, p. 269; cited in Clarke (1924).
- Martens, J. H. C., 1931, Beaches of Florida: Florida Geol. Survey 21st-22nd Ann. Repts., 1928-1930, p. 67-119.
- Martens, J. H. C., 1943, Rock salt deposits of West Virginia: West Virginia Geol. Survey Bull. 7, 67 p.
- Mathews, W. H., and McCammon, J. W., 1957, Calcareous deposits of southwestern British Columbia: British Columbia Dept. Mines Bull. 40.
- Maunsell, P. W., 1945, The cobalt content of some North Ireland (New Zealand) limestones: New Zealand Jour. Sci. Tech., v. 27A, p. 42-44.
- Mayer, A. G., 1924, Causes which produce stable conditions in the depths of the floors of Pacific fringing reef-flats: Carnegie Inst. Washington, Dept. Marine Biology, v. 19, p. 27-36.
- Mead, W. J., 1915, Occurrence and origin of the bauxite deposits of Arkansas: Econ. Geology, v. 10, p. 28-54.
- Merrell, H. W., 1957, Petrology and sedimentation of significant Paradox shales: M. S. thesis, University of Utah.
- Merrill, G. P., 1894, On the formation of stalactites and gypsum incrustations in caves: U.S. Natl. Mus. Proc., v. 17, p. 77-81.
- Miles, R. G., 1958, Carbonate petrology of the Bankston Fork limestone of southern Illinois: M. S. thesis, Northwestern University.
- Millot, G., 1952, Héritage et néoformation dans la sédimentation argileuse: Congr. Géol. Internat., Alger, 1952, fasc. 18, p. 163-175 (pub. 1953).
- Milner, H. B., 1929, Sedimentary petrography: 2nd edition, D. van Nostrand Co., New York, 514 p.
- Milton, Charles, 1957, Authigenic minerals of the Green River Formation of the Uinta Basin, Utah, in Guidebook to the Geology of the Uinta Basin, Eighth Annual Field Conference, Intermountain Association of Petroleum Geologists, p. 136-143.
- Milton, Charles, and Eugster, H. P., 1959, Mineral assemblages of the Green River Formation, in Researches in Geochemistry (P. H. Abelson, ed.): John Wiley and Sons, New York, p. 118-150.

- Milton, Charles, and Fahey, J. J., 1960, Classification and association of the carbonate minerals of the Green River Formation: Am. Jour. Sci., v. 258-A, p. 242-246.
- Miropol'skij, L. M., and Miropol'skaya, G. L., 1951, [New data on sphalerite in the Devonian sediments of southeastern Tartariya]: Akad. Nauk SSSR Dokl., v. 80, p. 425-428.
- Miser, H. D., 1922, Deposits of manganese ore in the Batesville district, Arkansas: U. S. Geol. Survey Bull. 734, 273 p.
- Mohr, P. A., 1956, A geochemical study of the Lower Cambrian manganese ore of the Harlech Dome, north Wales: *in* Symposium sobre yacimentos de manganeso, v. V, p. 273-289, XX Congr. Geol. Internac., Mexico City, 1956.
- Monroe, W. H., 1941, Notes on deposits of Selma and Ripley age in Alabama: Alabama Geol. Survey Bull. 48, 150 p.
- Moore, J. W., and Dunning, H. N., 1955, Interfacial activities and porphyrin contents of oil-shale extracts: Ind. Eng. Chem., v. 47, p. 1440-1444.
- Moore, W. E., 1955, Geology of Jackson County, Florida: Florida Geol. Survey Bull. 37, 101 p.
- Moret, L., 1940, Rôle probable des holothuries dans la genèse de certains sédiments calcaires: Soc. Géol. France, Comptes rendus fasc. 2, p. 11-12.
- Morita, R. Y., and ZoBell, C. E., 1955, Occurrences of bacteria in pelagic sediments collected during the mid-Pacific expedition: Deep-Sea Research, v. 3, p. 66-73.
- Morris, R. C., and Dickey, P. A., 1957, Modern evaporite deposition in Peru: Am. Assoc. Petroleum Geologists Bull. 41, p. 2467-2474.
- Morrison, R. B., 1935, The occurrence and origin of celestite and fluorite at Clay Center, Ohio: Am. Mineralogist, v. 20, p. 780-790.
- Mossom, Stuart, 1925, A preliminary report on the limestone and marls of Florida: Florida State Geol. Survey 16th Ann. Rept., p. 27-203.
- Motts, W. S., 1960, Change of the Capitan Reef complex along the margin of the Delaware Basin in southeastern New Mexico: Annual Meeting, Am. Assoc. Petroleum Geologists, Atlantic City, New Jersey.
- Moxham, R. M., and Eckhart, R. A., 1956, Marl deposits in the Knik Arm area, Alaska: U. S. Geol. Survey Bull. 1039-A, 23 p.
- Moxon, A. L., Olson, O. E., Searight, W. V., and Sandals, K. M., 1938, The stratigraphic distribution of selenium in the Cretaceous formations of South Dakota and the selenium content of some associated vegetation: Am. Jour. Botany, v. 25, p. 794-809.
- Muir, J. L., 1934, Anhydrite-gypsum problems of the Blaine formation, Oklahoma: Am. Assoc. Petroleum Geologists Bull., v. 18, p. 1297-1312.
- Mullin, J. B., and Riley, J. P., 1956, The occurrence of cadmium in seawater and in marine organisms and sediments: Jour. Marine Research, v. 15, p. 103-112.
- Münnich, K. O., and Vogel, J. C., 1959, C¹⁴-Altersbestimmung von Süsswasser Kalkablagerungen: Naturwiss., v. 46, p. 168-169.

- Murray, A. N., 1930, Limestone oil reservoirs of the northeastern United States and of Ontario, Canada: Econ. Geology, v. 25, p. 425-469.
- Murray, H. H., 1955, Sedimentation and stratigraphy of the Devonian rocks of southeastern Indiana: Indiana Geol. Survey Field Conf. Guidebook 8, p. 1-73.
- Murray, John, and Irvine, Robert, 1895, On the chemical changes which take place in the composition of sea water associated with blue muds on the floor of the ocean: Royal Soc. Edinburgh Trans., v. 37, p. 481-507.
- Murray, John, and Renard, A. F., 1891, Deep sea deposits, in Report on the scientific results of the voyage of HMS Challenger during the years 1873-76:

 Neill and Co., Edinburgh, for HM Stationery Office.
- Murray, J. W., 1954, The deposition of calcite and aragonite in caves: Jour. Geology, v. 62, p. 481-492.
- Murray, R. C., 1956, Recent sediments of three Wisconsin lakes: Geol. Soc. America Bull., v. 67, p. 883-910.
- Myers, D. A., Stafford, P. T., and Burnside, R. J., 1956, Geology of the Late Paleozoic Horseshoe Atoll in west Texas: Bur. Econ. Geology (Texas) Pub. 5607, 113 p.
- [U.S.] National Bureau of Standards, 1954, Standard samples and reference standards, issued by the National Bureau of Standards: Natl. Bur. Stands. Circ. 552, p. 1-23.
- Neeb, G. A., 1943, The Snellius-Expedition in the eastern part of the Netherlands East Indies, 1929-1930; vol. V, Geological results; Part 3, Bottom samples; Section II, The composition and distribution of the samples: E. J. Brill, Leiden, Holland, p. 55-268.
- Nelson, H. F., 1959, Deposition and alteration of the Edwards limestone, in Symposium on Edwards limestone in central Texas: Univ. Texas Pub. 5905, p. 21-95.
- Nesteroff, W. D., 1959, Attempt at a synthesis of present-day marine sedimentation along the French Mediterranean coast (eastern part): Preprints of abstracts, International Oceanographic Congress, 31 August 12 September, 1959, p. 642, Am. Assoc. Adv. Sci., Washington, D. C.
- Neuberg, C , and Grauer, A., 1957, The problem of solubilization and precipitation and the calcium and phosphorus cycle in cavern formation: Experientia, v. 13, p. 391-397.
- Neuman, W. F., Neuman, M. W., Main, E. R., and Mulryan, B. J., 1949a,
 Deposition of uranium in bone. V.-Ion-exchange studies: Jour. Biol. Chem.,
 v. 179, p. 335-340.
- Neuman, W. F., Neuman, M. W., Main, E. R., and Mulryan, B. J., 1949b, Deposition of uranium in bone. VI.-Ion competition studies: Jour. Biol. Chem., v. 179, p. 341-348.
- Newell, N. D., 1951, Organic reefs and submarine dunes of oolite sand around Tongue of the Ocean, Bahamas: Geol. Soc. America Bull., v. 62, p. 1466.
- Newell, N. D., 1955, Bahamian platforms: Geol. Soc. America Spec. Paper 62, p. 303-316.
- Newell, N. D., and Boyd, D. W., 1955, Extraordinarily coarse eolian sand of the Ica Desert, Peru: Jour. Sed. Petrology, v. 25, p. 226-228.

- Newell, N. D., and Rigby, J. K., 1957, Geological studies on the Great Bahama Bank, *in* Regional aspects of carbonate deposition: Soc. Econ. Paleont. Mineral. Spec. Pub. 5, Tulsa, Oklahoma, p. 15-72.
- Newell, N. D., Rigby, J. K., Fischer, A. G., Whiteman, A. J., Hickox, J. E., Bradley, J. S., 1953, The Permian reef complex of the Guadalupe Mountains region, Texas and New Mexico: W. H. Freeman and Co., San Francisco, 236 p.
- Nicholls, G. D., 1958, Sedimentary geochemistry: Petroleum, v. 21, p. 316-320, 324.
- Nicholls, G. D., Curl, Herbert, Jr., and Bowen, V. T., 1959, Spectrographic analysis of marine plankton: Limnol. and Oceanogr., v. 4, p. 398-408.
- Nielsen, E. S., 1952, The use of radio-active carbon (C^{14}) for measuring organic production in the sea: Conseil permanent international pour l'exploration de la mer, Jour. du cons., v. 18, p. 117-140.
- Nier, A. O., 1950, A redetermination of the relative abundances of the isotopes of carbon, nitrogen, oxygen, argon, and potassium: Phys. Review, v. 77, p. 789-793.
- Nikolaev, S. V., 1956, [The distribution of dolomites in the limy dolomite rocks of Samarov Valley]: Akad. Nauk SSSR Dokl., v. 111, p. 169-170.
- Nipkow, H. F., 1927, Über das Verhalten der Skelete planktonischer Kiselalgen im geschichteten Tiefenschlamm des Zürich und Baldeggersees: Rev. d'Hydrol., IV ann., p. 71-120.
- Noddack, I., and Noddack, W., 1939, Die Häufigkeiten der Schwermetalle in Meerestieren: Kungl. Svenska Velenskapsakademiens, v. 32A, p. 1-35.
- Noll, W., 1934, Geochemie des Strontiums; mit Bemerkungen zur Geochemie des Bariums: Chem. d. Erde, v. 8, p. 507-600.
- Northrup, M. A., 1937, New occurrences of millerite: Am. Mineralogist, v. 22, p. 1184-1185.
- O'Connor, H. G., 1953, Rock formations of Lyon County: Kansas Geol. Survey, v. 12, p. 5-24.
- Odum, H. T., 1950, Biogeochemistry of strontium: Ph. D. thesis, Yale University.
- Odum, H. T., 1951a, Notes on the strontium content of sea water, celestite radiolaria, and strontianite snail shells: Science, v. 114, p. 211-212.
- Odum, H. T., 1951b, The stability of the world strontium cycle: Science, v. 114, p. 407-411.
- Odum, H. T., 1957, Biogeochemical deposition of strontium: Institute of Marine Science, v. 4, p. 38-114.
- Olsen, F. R., 1950, The fluorine content of some Miocene horse bones: Science, v. 112, p. 620-621.
- Onishi, Hiroshi, and Sandell, E. B., 1955a, Geochemistry of arsenic: Geochim. et Cosmochim. Acta, v. 7, p. 1-33.
- Onishi, Hiroshi, and Sandell, E. B., 1955b, Notes on the geochemistry of antimony: Geochim. et Cosmochim. Acta, v. 8, p. 213-221.

- Orr, W. L., Emery, K. O., and Grady, J. R., 1958, Preservation of chlorophyll derivatives in sediments off southern California: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 925-962.
- Orton, Edward, 1878, Report on the geology of Franklin County: Ohio Geol. Survey, v. 3. p. 596-646.
- Osipova, A. I., 1949, Materialy k litologicheskoi i fatsialnoi kharakteristike otlozhenii paleogena yugo-vostochnoi Fergany: Akad. Nauk SSSR Dokl., v. 64, p. 381-384.
- Ostrom, M. E., 1957, Trace elements in Illinois Pennsylvanian limestones: Illinois Geol. Survey Circ. 243, p. 1-34.
- Page, L. R., Stocking, H. E., and Smith, H. B. (editors), 1956, Contributions to the geology of uranium and thorium by the United States Geological Survey and Atomic Energy Commission for the United Nations International Conference on Peaceful Uses of Atomic Energy, Geneva, Switzerland, 1955: U. S. Geol. Survey Prof. Paper 300, 739 p.
- Palache, Charles, Berman, Harry, and Frondel, Clifford, 1951, The system of mineralogy of James Dwight Dana and Edward Salisbury Dana, Yale University, 1837-1892: 7th edition, v. II, 1124 p., John Wiley and Sons, New York.
- Palmqvist, Sven, 1935, Geochemical studies on the iron-bearing Liassic series in southern Sweden: Medd. från Lunds Geol.-Mineral. Inst., no. 60, 204 p.
- Park, C. F., Jr., 1938, Dolomite and jasperoid in the Metaline district, northeastern Washington: Econ. Geology, v. 33, p. 709-729.
- Parkinson, Donald, 1957, Lower Carboniferous reefs of northern England: Am. Assoc. Petroleum Geologists Bull., v. 41, p. 511-537.
- Patterson, C. C., Goldberg, E. D., and Inghram, M. G., 1953, Isotopic compositions of Quaternary leads from the Pacific Ocean: Geol. Soc. America Bull., v. 64, p. 1387-1388.
- Patton, J. B., 1949, Crushed stone in Indiana: Indiana Dept. of Conservation Rept. Prog. 3, 47 p.
- Patton, J. B., 1953, Petrology of the Salem limestone (Indiana building stone): Econ. Geology, v. 48, p. 331.
- Peck, R. E., 1957, North American Mesozoic Charophyta: U. S. Geol. Survey Prof. Paper 294-A, 44 p.
- Pelto, C. R., 1956, Chalcedony: Am. Jour. Sci., v. 254, p. 32-50.
- Perry, T. G., Smith, N. M., and Wayne, W. J., 1954, Salem limestone and associated formations in south-central Indiana: Indiana Geol. Survey Field Conf. Guidebook 7, p. 1-73.
- Pettersson, H., 1953, Radium and the deep sea: Am. Scientist, v. 41, p. 245-255.
- Pettersson, H., and Rotschi, H., 1952, The nickel content of deep-sea deposits: Geochim. et Cosmochim. Acta, v. 2, p. 81-90.
- Pettijohn, F. J., 1926, Intraformational phosphate pebbles of the Twin City Ordovician: Jour. Geology, v. 34, p. 361-363.

- Pfefferkorn, G., and Urban, H., 1957, [Petrological remarks on the "Grunsandstein" from Oströnnen near Soest, Westphalia, Germany]: Neues Jahrb. Mineral., Monatsh., p. 147-149.
- Phalen, W. C., 1914, Celestite deposits in California and Arizona: U. S. Geol. Survey Bull. 540, p. 521-533.
- Philippi, G. T., 1957, Identification of oil source beds by chemical methods:

 Presented at Annual Convention of Am. Assoc. Petroleum Geologists, St. Louis.
- Pieruccini, Renzo, 1944, Determinazione spettografica del berillio in alcune rocce sedimentarie dell' Appennino tosco-emiliano: Spectrochim. Acta, v. 2, p. 269-290.
- Pieruccini, Renzo, 1951, Contributo alla conoscenza della distribuzione del titanio (e del vanadio) in alcuni sedimenti dell' Appennino settentrionale toscano: Soc. Toscana di Sci. Nat. Atti (Pisa), Mem. 58, ser. A, p. 60-80.
- Piggot, C. S., and Urry, W. D., 1939, The radium content of an ocean-bottom core: Washington Acad. Sci. Jour., v. 29, p. 405-410.
- Piggot, C. S., and Urry, W. D., 1941, Radioactivity of ocean sediments. III.
 Radioactive relations in ocean water and bottom sediment: Am. Jour. Sci., v. 239, p. 81-91.
- Pilkey, O. H., and Hower, John, 1960, The effect of environment on the concentration of skeletal magnesium and strontium in *Dendraster*: Jour. Geology, v. 68, p. 203-216.
- Pirkle, E. C., 1957, Economic consideration of pebble phosphate deposits of Alachua County, Florida: Econ. Geology, v. 52, p. 354-378.
- Plumley, W. J., 1948, Black Hills terrace gravels: A study in sediment transport: Jour. Geology, v. 56, p. 526-577.
- Pohl, E. R., and Born, K. E., 1936, Development of gypsum in limestone caves: Geol. Soc. America Proc. for 1935, p. 96.
- Poldervaart, Arie, 1955, Chemistry of the earth's crust: Geol. Soc. America Spec. Paper 62, p. 119-144.
- Poor, R. S., 1925, The character and significance of the basal conglomerate of the Pennsylvanian system in southern Illinois: Illinois Acad. Sci. Trans., v. 18, p. 371-374.
- Portner, Claude, 1951, Le mécanisme de la précipitation du CO₃Ca et la détermination de l'épaisseur du dépôt annuel de la vase dans le lac de Neuchâtel: Geol. Rundschau, v. 39, p. 212-216.
- Prashnowsky, A. A., 1957, Sedimentpetrographische und geochemische Untersuchungen im südlichen Rheinischen Schiefergebirge: Neues Jahrb. Geologie u. Paläontologie Abh., v. 105, p. 47-70.
- Pratje, Otto, 1939, Sediments of south Atlantic Ocean: Am. Assoc. Petroleum Geologists Bull., v. 23, p. 1666-1672.
- Pray, L. C., 1958, Fenestrate bryozoan core facies, Mississippian bioherms, southwestern United States: Jour. Sed. Petrology, v. 28, p. 261-273.
- Priddy, R. R., Crisler, R. M., Jr., Sebren, C. P., Powell, J. D., and Burford, Hugh, 1955, Sediments of Mississippi Sound and inshore waters: Mississippi State Geol. Survey Bull. 82, p. 1-54.

- Proctor, P. D., and Clark, D. L., 1956, The Curley limestone an unusual biostrome in central Utah: Jour. Sed. Petrology, v. 26, p. 313-321.
- Proshliakov, B. K., 1958, [Vanadium in oil-bearing carbonate rocks of the Paleogene of North Fergana]: Akad. Nauk SSSR Dokl., v. 119, p. 741-744.
- Proudfoot, V. B., 1956, An occurrence of collophane in the lower Hyaena stratum at Tornewton Cave, Devon; Mineralog, Mag., v. 31, p. 344-345.
- Pustovalov, L. V., 1937, [Ratovkite in the upper ranges of the Volga River]: Akad. Nauk SSSR, Lomonosov Inst. Trudy; cited in Kazakov and Sokolova (1950).
- Radbruch, D. H., 1957, Hypothesis regarding the origin of the tufa at Pyramid Lake, Nevada: Geol. Soc. America Bull., v. 68, p. 1683-1688.
- Radugin, K. V., 1940, A new bedded deposit of manganese in the Kuznetsk Alatau (Siberia): Akad. Nauk SSSR Dokl., v. 27, p. 243-245.
- Rafter, T. A., 1955, C¹⁴ variations in nature and the effect on radiocarbon dating: New Zealand Jour. Sci. Tech., v. B37, p. 20-38.
- Rafter, T. A., and Fergusson, G. J., 1957, The atom bomb effect, recent increase in the C^{14} content of the atmosphere, biosphere, and surface waters of the oceans: New Zealand Jour. Sci. Tech., v. 38, p. 871-883.
- Rankama, Kalervo, and Sahama, Th. G., 1950, Geochemistry: University of Chicago Press, 912 p.
- Rastall, R. H., and Hemingway, J. E., 1940, The Yorkshire Dogger; I. The coastal region: Geol. Mag., v. 77, p. 179-195, 257-275.
- Rastall, R. H., and Hemingway, J. E., 1941, The Yorkshire Dogger; II. Lower Eksdale: Geol. Mag., v. 78, p. 351-370.
- Rateev, M. A., 1954, [a-sepiolite from carbonate rocks of the Aleksin horizons of Krasnaya Polyana]: Akad. Nauk SSSR Dokl., v. 96, p. 1051-1054.
- Rateev, M. A., and Kotel'nikov, D. D., 1956, [New occurrences of α -sepiolite in the Carboniferous of the Russian Platform]: Akad. Nauk SSSR Dokl., v. 109, p. 191-194.
- Raupach, Friedrich von, 1952, Die rezente Sedimentation im Schwarzen Meer, im Kaspi und im Aral und ihre Gesetzmässigkeiten (nach neuen sowjetischen Arbeiten): Geologie (Berlin), v. 1, p. 78-132.
- Raymond, L. R., 1952, Some geological results from the exploration for potash in northeast Yorkshire: Geol. Soc. London Quart. Jour., v. 108, p. 283-306, (pub. 1953).
- Raymond, P. E., and Hutchins, Forbes, 1932, A calcareous beach at John O'Groats, Scotland: Jour. Sed. Petrology, v. 2, p. 63-67.
- Raymond, P. E., and Stetson, H. C., 1932, A calcareous beach on the coast of Maine: Jour. Sed. Petrology, v. 2, p. 51-62.
- Revelle, R., 1944, Marine bottom samples collected in the Pacific Ocean by the *Carnegie* on its seventh cruise: Carnegie Inst. Washington Pub. 556, Oceanography-II, pt. 1, 180 p.
- Revelle, R., Bramlette, M., Arrhenius, G., and Goldberg, E. D., 1955, Pelagic sediments of the Pacific, *in* Crust of the Earth: Geol. Soc. America Spec. Paper 62, p. 221-236.

- Rex, R. W., and Goldberg, E. D., 1958, Quartz contents of pelagic sediments of the Pacific Ocean: Tellus, v. 10, p. 153-159.
- Rezak, Richard, 1957, Stromatolites of the Belt Series in Glacier National Park and vicinity, Montana: U.S. Geol. Survey Prof. Paper 294-D, p. 127-154.
- Richards, H. C., and Hill, Dorothy, 1942, Great Barrier Reef bores, 1926 and 1927: Descriptions, analyses, and interpretations: Great Barrier Reef Committee Repts., v. 5, p. 1-122, Brisbane, Australia, Govt. Printer.
- Robbins, Carl, and Keller, W. D., 1952, Clay and other non-carbonate minerals in some limestones; Jour. Sed. Petrology, v. 22, p. 146-152.
- Roddy, J. H., 1915, Concretions in streams formed by the agency of blue-green algae and related plants: Am. Philos. Soc. Proc., v. 54, p. 246-258.
- Rodgers, John, 1945, Manganese content of the Shady dolomite in Bumpass Cove, Tennessee: Econ. Geology, v. 40, p. 129-135.
- Rodgers, John, 1954, Terminology of limestone and related rocks: An interim report: Jour. Sed. Petrology, v. 24, p. 225-234.
- Rogers, C. L., de Cserna, Z., Tavera, E., and Ulloa, S., 1956, General geology and phosphate deposits of Concepción del Oro district, Zacatacas, Mexico: U. S. Geol. Survey Bull. 1037-A, p. 1-102.
- Rogers, L. E., Martin, A. E., and Norrish, K., 1954, The occurrence of palygorskite near Ipswich, Queensland: Mineralog. Mag., v. 30, p. 534-540.
- Rolshausen, F. W., 1934, Occurrence of siderite in cap rock at Carlos Dome, Grimes County, Texas: Am. Assoc. Petroleum Geologists Bull., v. 18, p. 543-546.
- Romm, I. I., 1946, [On the content of vanadium in solid bituminous rocks of the Urals and the near-Volga area]: Akad. Nauk SSSR Dokl., v. 51, p. 47-50.
- Ronov, A. B., 1956, [The chemical composition and the conditions of formation of Paleozoic carbonate layers of the Russian Platform, based on the data of lithologic-geochemical maps]: Akad. Nauk SSSR, Trudy Geol. Inst., no. 4, p. 256-343.
- Ronov, A. B., and Ermishkina, A. I., 1959, [Distribution of manganese in sedimentary rocks]: Geokhimiya, p. 206-225.
- Rosenberg, P. E., 1959, Subsolidus relations on the join $CaMg(CO_3)_2$ - $CaFe(CO_3)_2$ of the system $CaCO_3$ - $MgCO_3$ - $FeCO_3$: Geol. Soc. America Bull., v. 70, p. 1664.
- Rosenberg, P. E., and Harker, R. I., 1956, Studies in the system CaCO₃-MgCO₃-FeCO₃. Part I. Limits of solid solution along the binary join, CaCO₃-FeCO₃: Geol. Soc. America Bull., v. 67, p. 1728.
- Rothrock, E P., 1931, A preliminary report on the chalk of eastern South Dakota: South Dakota Geol. Survey Rept. Inv. 2, p. 1-42.
- Rubey, W. W., 1930, Lithologic studies of fine-grained Upper Cretaceous sedimentary rocks of the Black Hills region: U. S. Geol. Survey Prof. Paper 165, p. 1-54.
- Rubey, W. W., 1952, Geology and mineral resources of the Hardin and Brussels Quadrangles (in Illinois): U. S. Geol. Survey Prof. Paper 218, p. 1-179.

- Rubey, W. W., and Callaghan, Eugene, 1936, Magnesite and brucite: U. S. Geol. Survey Bull. 871, p. 113-144.
- Rubin, Meyer, and Suess, H. E., 1955, U.S. Geological Survey radiocarbon dates, II: Science, v. 121, p. 481-488.
- Runnels, R. T., and Dubin, I. M., 1949, Chemical and petrographic studies of the Fort Hays chalk in Kansas, *in* 1949 Reports of Studies: Kansas Geol. Survey Bull. 82, 36 p.
- Runnels, R. T., and Schleicher, J. A., 1956, Chemical composition of eastern Kansas limestones, in 1956 Reports of Studies: Kansas Geol. Survey Bull. 119, p. 81-103.
- Rusnak, G. A., and Shepard, F. P., 1957, Comparative studies of sedimentation in selected Texas bays: Presented at the Annual Convention of the Am. Assoc. Petroleum Geologists, St. Louis.
- Russell, I. C., 1889a, Quaternary history of Mono Valley, California: U. S. Geol. Survey 8th Ann. Rept. for 1886-7, p. 261-394.
- Russell, I. C., 1889b, Subaerial decay of rocks and origin of the red color of certain formations: U. S. Geol. Survey Bull. 52, 65 p.
- Rutte, Erwin, 1953, Die Algenkalke aus dem Miozän von Engelswies in Baden: Neues Jahrb. Geologie u. Paläontologie, Abh., v. 98, p. 149-173.
- Rutte, Erwin, 1958, Kalkkrusten in Spanien: Neues Jahrb. Geologie u. Paläontologie, Abh., v. 106, p. 52-138.
- Ryan, J. D., 1953, The sediments of Chesapeake Bay: Maryland Dept. Geology, Mines, and Water Resources Bull. 12, 120 p.
- Sackett, W. M., 1958, Ionium-uranium ratios in marine deposited calcium carbonates and related materials: Ph. D. thesis, Washington University, St. Louis.
- Sackett, W. M., Potratz, H. A., and Goldberg, E. D., 1958, Thorium content of ocean water: Science, v. 128, p. 204-205.
- Sahama, T. G., 1945, Spurenelemente der Gesteine in südlichen Finnisch-Lappland: Comm. Géol. Finlande Bull. 135, 86 p.
- Said, Rushi, 1951, Organic origin of some calcareous sediments from the Red Sea: Science, v. 113, p. 517-518.
- Sander, Bruno, 1951, Contributions to the study of depositional fabrics (translated by E. B. Knopf): Am. Assoc. Petroleum Geologists, Tulsa, Oklahoma, 160 p.
- Sapozhnikov, D. G., 1951, Sovemennye osadki i geologiya ozera Balkhash: Akad. Nauk SSSR, Inst. Geol. Nauk Trudy, v. 132, Geol. Ser. no. 53, 207 p.
- Sauer, Elisabeth, 1938, Verbreitung, Zusammensetzung und Entstehung der diluvialen Seeabsätze im oberen Isartal: Mineral. u. Petrog. Mitt., v. 50, p. 305-355.
- Savul, M., and Ababi, V., 1956, Cuprul, zincul, si plumbul ca elemente minore in calcarele si dolomitele din Carpatii Orientali: Acad. R. P. R. Filiala Iasi Studii si Cercetari Stiintifice, Chimie, Anul. VII, p. 181-200.
- Savul, M., and Movileanu, A., 1956, Manganul ca element minor in calcarele si dolomitele Triasice din Carpatii Orientali: Acad. R. P. R. Filiala Iasi Studii si Cercetari Stiintifice, Chimie, Anul. VII, p. 159-179.

- Saxby, D. B., and Lamar, J. E., 1957, Gypsum and anhydrite in Illinois: Illinois Geol. Survey Circ. 226, 26 p.
- Schachtschabel, P., and Schroeder, D., 1953, [Investigation of minor constituents of limestone of different geological origins]: Zeitschr. Pflanzenernähr. Düng. Bodenk., v. 63, p. 193-203.
- Schaller, W. T., and Henderson, E. P., 1932, Mineralogy of drill cores from the potash field of New Mexico and Texas: U. S. Geol. Survey Bull. 833, 124 p.
- Scheere, Jan, 1955, Des intercalations à sphérolithes dans les couches de houille; modes d'occurence et conditions de genese: Assoc. Étude Paléont. Stratig. Houill. Pub. no. 21, p. 345-356.
- Schmalz, R. F., 1956, The mineralogy of the Funafuti drill cores and its bearing on the physicochemistry of dolomite: Jour. Sed. Petrology, v. 26, p. 185-186.
- Schmidt, R. G., Johnson, J. H., and McCracken, R. J., 1957, Geology of Saipan, Mariana Islands. Part 2. Petrology and soils: U. S. Geol. Survey Prof. Paper 280 B-D, p. 120-207.
- Schnellman, G. A., 1959, Formation of sulfur by reduction of anhydrite at Ras Gemsa, Egypt: Econ. Geology, v. 54, p. 889-894.
- Schoch, E. P., 1918, Chemical analyses of Texas rocks and minerals: Univ. Texas Bull. 1814, 256 p.
- Schofield, J. C., 1959, The geology and hydrology of Niue Island, South Pacific: New Zealand Geol. Survey Bull. 62, 28 p.
- Schraut, J. A., Jr., 1950, Occurrence and association of millerite and fluorite in limestone quarries of the St. Louis, Missouri, area: Rocks and Minerals, v. 25, p. 134-135.
- Schultz, L., 1958, Petrology of underclays: Geol. Soc. America Bull., v. 69, p. 363-402.
- Schulze, F. E., and Thierfelder, Hans, 1905, Über baryumsulfat Meerestieren (Xenophyophora F. E. Sch.): S. B. Gesell. Naturf. Fr. Berl.; cited in Vinogradov (1953).
- Schwade, I. T., 1947, Salt-dolomite intergrowths: Am. Assoc. Petroleum Geologists Bull., v. 31, p. 2208-2214.
- Schwartz, F. W., and Mathiasen, R. L., 1934, A study of the composition of black concretions in Onondaga limestone: Science, v. 80, p. 232.
- Science, 1958, I G Y Oceanography: Science, v. 127, p. 461-462.
- Scott, R. O., and Swaine, D. J., 1959, Further comments on the vanadium-calcium line coincidence at 3185Å: Geochim. et Cosmochim. Acta, v. 16, p. 195.
- Scruton, P. C., 1953, Deposition of evaporites: Am. Assoc. Petroleum Geologists Bull., v. 37, p. 2498-2512.
- Searight, W. V., 1957, Asphaltic rocks in western Missouri: Missouri Geol. Survey and Water Resources Inform. Circ. 13, p. 1-26.
- Searight, W. V., and Moxon, A. L., 1945, Selenium in glacial and associated deposits (S. Dak.): South Dakota Agric. Expt. Sta. Tech. Bull. 5, 33 p.

- Seibold, Eugen, 1955, Zum Phosphat-, Eisen- und Kalkgehalt einiger Horizonte des süddeutschen Jura: Geol. Jahrb., Geol. Landesanst., v. 70, p. 577-610.
- Seibold, Eugen, 1958, Jahreslagen in sedimenten der mittleren Adria: Geol. Rundschau, v. 47, p. 100-117.
- Seraphim, R. H., 1951, Some aspects of the geochemistry of fluorine: Thesis, Massachusetts Institute of Technology; quoted in Correns (1956).
- Shaw, D. M., 1952, The geochemistry of indium: Geochim. et Cosmochim. Acta, v. 2, p. 185-206.
- Shaw, D. M., 1957, The geochemistry of gallium, indium, and thallium a review: Phys. and Chem. of the Earth, v. 2, p. 164-211.
- Shaw, D. M., 1958, A vanadium-calcium spectral line coincidence at 3185 Å and its effect on vanadium abundance data: Geochim. et Cosmochim. Acta, v. 15, p. 159-161.
- Sheldon, R. P., 1957, Physical stratigraphy of the Phosphoria formation in north-western Wyoming: U. S. Geol. Survey Bull. 1042-E, 80 p.
- Sheldon, R. P., 1959, Geochemistry of uranium in phosphorites and black shales of the Phosphoria Formation: U. S. Geol. Survey Bull. 1084-D, p. 83-115.
- Shepard, F. P., 1956, Late Pleistocene and Recent history of the central Texas coast: Jour. Geology, v. 64, p. 56-69.
- Shepherd, E. S., 1940, Note on the fluorine content of rocks and ocean-bottom samples: Am. Jour. Sci., v. 238, p. 117-128.
- Shishkina, O. V., 1959, On the salt composition of the marine interstitial waters (solutions): Preprints of abstracts, International Oceanographic Congress, 31 August 12 September, 1959, p. 977-978, Am. Assoc. Adv. Sci., Washington, D. C.
- Shukri, N. M., and Higazy, R. A., 1944a, Mechanical analysis of some bottom deposits of the northern Red Sea: Jour. Sed. Petrology, v. 14, p. 43-69.
- Shukri, N. M., and Higazy, R. A., 1944b, The mineralogy of some bottom deposits of the northern Red Sea: Jour. Sed. Petrology, v. 14, p. 70-85.
- Sidwell, Raymond, 1943, Caliche deposits on southern High Plains, Texas: Am. Jour. Sci., v. 241, p. 257-261.
- Sidwell, Raymond, and Cole, C. A., 1937, Sedimentation of the Colorado River in Runnels and Coleman Counties, Texas: Jour. Sed. Petrology, v. 7, p. 104-107.
- Siever, Raymond, 1957, The silica budget in the sedimentary cycle: Am. Mineralogist, v. 42, p. 821-841.
- Siever, Raymond, and Glass, H. D., 1957, Mineralogy of some Pennsylvanian carbonate rocks of Illinois: Jour. Sed. Petrology, v. 27, p. 56-63.
- Silverman, S. R., and Epstein, Samuel, 1958, Carbon isotopic compositions of petroleums and other sedimentary organic materials: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 998-1012.
- Silverman, S. R., Levandowski, D. W., and Bonham, L. C., 1960, Carbonates from oil: Presented at the Annual Meeting, Am. Assoc. Petroleum Geologists, Atlantic City.

- Simpson, J. A., 1948, The latitude dependence of neutron densities in the atmosphere as a function of altitude: Phys. Rev., v. 73, p. 1389-1391.
- Singewald, J. T., Jr., 1909, The iron ores of Maryland: Econ. Geology, v. 4, p. 530-543.
- Singewald, J. T., Jr., 1911, Report on the iron ores of Maryland, with an account of the iron industry: Maryland Geol. Survey, v. 9, p. 121-327.
- Sloss, L. L., 1947, Environments of limestone deposition: Jour. Sed. Petrology, v. 17, p. 109-113.
- Sloss, L. L., 1953, The significance of evaporites: Jour. Sed. Petrology, v. 23, p. 143-161.
- Sloss, L. L., and Hamblin, R. H., 1942, Stratigraphy and insoluble residues of Madison group (Mississippian) of Montana: Am. Assoc. Petroleum Geologists Bull., v. 26, p. 305-335.
- Smales, A. A., Mapper, D., and Wood, A. J., 1957, The determination by radioactivation of small quantities of nickel, cobalt, and copper in rocks, marine sediments, and meteorites: Analyst, v. 82, p. 75-88.
- Smith, J. E., 1951, The Cretaceous limestone producing areas of the Mara and Maracaibo district, Venezuela: Third World Petroleum Congress Proc., sec. 1, p. 56-72, The Hague.
- Smith, R. A., 1916, Limestones of Michigan: Michigan Geol. Survey Pub. 21 (Geol. Ser. 17), p. 103-311.
- Sneed, E. D., and Folk, R. L., 1958, Pebbles in the lower Colorado River, Texas:
 A study in pebble morphogenesis: Jour. Geology, v. 66, p. 114-150.
- Stanfield, K. E., Frost, I. C., McAuley, W. S., and Smith, H. N., 1951, Properties of Colorado oil shale: U. S. Bur. Mines Rept. Inv. 4825, 27 p.
- Stanton, D. J., 1944, The cobalt content of some South Island (New Zealand) limestones: New Zealand Jour. Sci. Tech., v. 25 (Sec. A), p. 221-224.
- Stark, J. T., and Dapples, E. C., 1941, Near shore coral lagoon sediments from Raiatea, Society Islands: Jour. Sed. Petrology, v. 11, p. 21-27.
- Stehli, F. G., 1956, Shell mineralogy in Paleozoic invertebrates: Science, v. 123, p. 1031-1032.
- Steidtmann, E., 1917, Origin of dolomite as disclosed by stains and other methods: Geol. Soc. America Bull., v. 28, p. 431-450.
- Steinbrecher, Bodo, 1959, [Occurrence of sulfur crystals in "Stinkschiefer" from the borehole Bösenrode 9, South Harz border]: Zeitschr. Angew. Geol., v. 5, p. 431-433.
- Stenzel, H. B., 1943, Gypsum resources and mining on the Hockley Dome, Harris County, Texas: Texas Univ. Pub. 4301, p. 207-226.
- Stephens, J. G., and Bergin, M. J., 1959, Reconnaissance investigation of uranium occurrences in the Saratoga area, Carbon County, Wyoming: U. S. Geol. Survey Bull. 1046-M, p. 321-338.
- Sternberg, T. E., Fischer, A. G., and Holland, H. D., 1959, Strontium content of calcites from the Steinplatte Reef Complex: Geol. Soc. America Bull., v. 70, p. 1681.

- Stewart, F. H., 1949, The petrology of the evaporites of the Eksdale no. 2 boring, east Yorkshire. I. The lower evaporite bed: Mineralog. Mag., v. 28, p. 621-675.
- Stewart, F. H., 1951a, The petrology of the evaporites of the Eksdale no. 2 boring, east Yorkshire. II. The middle evaporite bed: Mineralog. Mag., v. 29, p. 445-475.
- Stewart, F. H., 1951b, The petrology of the evaporites of the Eksdale no. 2 boring, east Yorkshire. III. The upper evaporite bed: Mineralog. Mag., v. 29, p. 557-572.
- Stewart, F. H., 1954, Permian evaporites and associated rocks in Texas and New Mexico compared with those of northern England: Yorkshire Geol. Soc. Proc., v. 29, p. 185-235.
- Stock, A., and Cucuel, F., 1934, Die Verbreitung des Quecksilbers: Naturwiss., v. 22, p. 390-393.
- Stockdale, P. B., 1922, Stylolites; their nature and origin: Indiana Univ. Studies, v. 9, no. 55, 97 p.
- Stout, W. E., 1940, Marl, tufa rock, travertine, and bog ore in Ohio: Ohio Geol. Survey Bull. 41, 4th ser., 56 p.
- Stout, W. E., 1941, Dolomites and limestones of western Ohio: Ohio Geol. Survey Bull. 42, 4th ser., 468 p.
- Stow, M. H., 1930, Calcareous concretions in streams near Lexington, Virginia: Am. Jour. Sci., v. 20, p. 214-216.
- Strakhov, N. M., 1947, [On the regularity and mechanism of marine sedimentation: 1. Black Sea]: Akad. Nauk SSSR Izv., Geol. Ser., no. 2, p. 49-90.
- Strakhov, N. M., 1951, [Facies of limy dolomites of contemporary and ancient water bodies]: Akad. Nauk SSSR, Inst. Geol. Sci., ed. 124, Geol. Ser., no. 45.
- Strakhov, N. M., 1956, [Concerning the question of the genesis of dolomite rocks]: Akad. Nauk SSSR, Trudy Geol. Inst., no. 4, p. 5-27.
- Strock, L. W., 1936, Zur Geochemie des Lithiums: Gesell. Wiss. Göttingen Nachr., Math.-phys. Kl., IV, N. F., v. 1, p. 171-204.
- Strøm, Kaare, 1957, A lake with trapped sea-water: Nature, v. 80, p. 982-983.
- Suess, H. E., 1954a, Natural radiocarbon measurements by acetylene counting: Science, v. 120, p. 5-7.
- Suess, H. E., 1954b, U. S. Geological Survey radiocarbon dates I: Science, v. 120. p. 467-473.
- Suess, H. E., 1955, Radiocarbon concentration in modern wood: Science, v. 122, p. 415-417.
- Sujkowski, Zb. L., 1952, Average chemical composition of the sedimentary rocks: Am. Jour. Sci., v. 250, p. 360-374.
- Sujkowski, Zb. L., 1958, Diagenesis: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 2692-2717.

- Swain, F. M., 1958, Organic materials of early middle Devonian, Mt. Union area, Pennsylvanian: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 2858-2891.
- Swineford, Ada, and Frye, J. C., 1955, Petrographic comparison of some loess samples from western Europe with Kansan loess: Jour. Sed. Petrology, v. 25, p. 3-23.
- Swineford, Ada, Leonard, A. B., and Frye, J. C., 1958, Petrology of the Pliocene pisolitic limestone in the Great Plains: Kansas Geol. Survey Bull. 130, pt. 2, p. 97-116.
- Tassel, René van, 1955, Étude pétrographique de quelques sidéroses à globules argileux du westphalien belge: Assoc. Étude Paléont. Stratig. Houill. Pub. no. 21, p. 361-379.
- Tatsumoto, Mitsunobu, and Goldberg, E. D., 1959, Some aspects of the marine geochemistry of uranium: Geochim. et Cosmochim. Acta, v. 17, p. 201-208.
- Tatsumoto, Mitsunobu, and Osawa, M., 1957, [Chemical studies of deep-sea deposits; XXVI. Content of Be]: Jour. Chem. Soc. Japan, Pure Chem. Sec., v. 78. p. 502-508.
- Taylor, J. H., 1949, The Mesozoic ironstones of England; petrology of the Northampton Sand Ironstone formation; Geol. Survey Great Britain Memoir, 111 p.
- Taylor, J. H., 1950, Baryte-bearing nodules from the Middle Lias of the English east Midlands: Mineralog. Mag., v. 29, p. 18-26.
- Taylor, J. H., 1954, The lead-zinc-vanadium deposits at Broken Hill, Northern Rhodesia: Colonial Geology and Mineral Resources, v. 4, p. 335-365, London.
- Taylor, J. H., Davies, W., and Dixie, R. J. M., 1952, The petrology of the British Mesozoic ironstones and its bearing on problems of beneficiation. in Symposium sur les gisements du fer du monde: XIX Congr. Géol. Internat., Alger, 1952, v. II, p. 453-466.
- Taylor, R. E., 1938, Origin of the cap rock of Louisiana salt domes: Louisiana Geol. Survey Bull. 11, 191 p.
- Teichert, Curt, 1958, Cold- and deep-water coral banks: Am. Assoc. Petroleum Geologists Bull., v. 42, p. 1064-1082.
- ten Haaf, E., 1959, Properties and occurrence of turbidites, in Sedimentology of Recent and old sediments, a symposium: Geol. en Mijnbouw, v. 21, p. 217-222.
- Teodorovitch, G. I., 1950, Lithology of carbonate rocks Paleozoic of Ural-Volga region: Akad. Nauk SSSR, Isdatel'stvo, 550 p.; quoted in Chilingar, G. V., Distribution and abundance of chert and flint as related to the Ca/Mg ratio of limestones: Geol. Soc. America Bull., v. 67, p. 1559-1562, 1956.
- Tester, A. C., and Atwater, G. I., 1934, The occurrence of authigenic feldspars in sediments: Jour. Sed. Petrology, v. 4, p. 23-31.
- Thiel, G. A., 1930, A correlation of marl beds with types of glacial deposits: Jour. Geology, v. 38, p. 717-728.
- Thiel, G. A., 1933, The marls of Minnesota, in Part 2, The limestones and marls of Minnesota: Minnesota Geol. Survey Bull. 23, p. 79-100.

- Thode, H. G., Wanless, R. K., and Wallouch, R., 1954, The origin of native sulfur deposits from isotope fractionation studies: Geochim. et Cosmochim. Acta, v. 5, p. 286-298.
- Thomas, R. G., 1940, Some geochemical aspects of animal ecology: Australian Jour. Sci., v. 3, p. 33-40, 53-59.
- Thompson, T. G., and Chow, T. J., 1955, The strontium-calcium ratio in carbon-ate-secreting organisms: Papers in Marine Biology and Oceanography, Suppl. to v. 3 of Deep-Sea Research, p. 20-39.
- Thorp, E. M., 1935, Calcareous shallow-water marine deposits of Florida and the Bahamas: Carnegie Inst. Washington Pub. 452, v. 29, p. 37-143.
- Thorp, James, Gooding, A. M., and Gamble, E. S., 1957, Pleistocene-Wisconsin deposits and soils of Upper Whitewater Basin, Indiana-Ohio: Abstract, December meeting of the Am. Assoc. Adv. Sci., Indianapolis, Indiana.
- Thunmark, Sven, 1937, Über die regionale Limnologie von Südschweder.: Sveriges Geol. Undersöhn. Årsbok 31, no. 6, 160 p.
- Thwaites, F. T., 1943, Pleistocene of part of northeastern Wisconsin: Geol. Soc. America Bull., v. 54, p. 87-144.
- Tilton, G. R., and Davis, G. L., 1959, Geochronology, in Researches in Geochemistry (P. H. Abelson, ed.): John Wiley and Sons, New York, p. 190-216.
- Tinklepaugh, B. M., 1957, A chemical, statistical, and structural analysis of secondary dolomitization in the Rogers City-Dundee formation of the central Michigan Basin: Ph. D. thesis, Michigan State University.
- Todd, J. P., 1939, Shoal-water deposits of the Bermuda Banks: Jour. Sed. Petrology, v. 9, p. 8-13.
- Tongeren, W. van, 1938, Contributions to the knowledge of the chemical composition of the earth's crust in the East Indian Archipelago: I. The spectrographic determinations of the elements according to arc methods in the range 3600-5000 Å; II. On the occurrence of rarer elements in the Netherlands East Indies: D. B. Centens Uitgevers-Maatschappij N. V., Amsterdam, 181 p.
- Topkaya, M., 1950, Recherches sur les silicates authigènes dans les roches sédimentaires: Lausanne Univ. Lab. Géol. Géog. phys. Min. Paléont. Bull. v. 97, p. 1-132.
- Trask, P. D., 1939, Organic content of recent marine sediments, in Recent Marine Sediments: Am. Assoc. Petroleum Geologists, Tulsa, Oklahoma, p. 428-453.
- Trask, P. D., and Patnode, H. W., 1942, Source beds of petroleum: Am. Assoc. Petroleum Geologists, Tulsa, Oklahoma, 566 p.
- Trask, P. D., Patnode, H. W., Stimson, J. L., and Gay, J. R., 1942, Geology and biology of North-Atlantic deep-sea cores between Newfoundland and Ireland: Part 8. Organic matter content: U. S. Geol. Survey Prof. Paper 196, p. 135-149.
- Treibs, A., 1935, Chlorophyll- und Häminderivative in bituminöser Gesteinen, Erdölen, Kohlen, Phosphoriten: Liebigs Ann. Chem., v. 517, p. 172-196.
- Treibs, A., 1936, Chlorophyll- und Häminderivative in organischen Mineralstoffen: Angew. Chem., v. 49, p. 682-686.

- Tremearne, T. H., and Jakob, K. D., 1941, Arsenic in natural phosphates and phosphate fertilizers: U. S. Dept. Agric. Tech. Bull. 781, 39 p.
- Trueman, E. R., 1942, The structure and deposition of the shell of *Tellina tenius*: Royal Micr. Soc. Jour., v. 62, p. 69-92.
- Trumpy, D., 1916, Beitr. Geol. Karte Schweiz, N. F., Lief. 20; cited in Daly, 1917.
- Turekian, K. K., 1958, Rate of accumulation of nickel in Atlantic equatorial deepsea sediments and its bearing on possible extra-terrestrial sources: Nature, v. 182, p. 1728-1729.
- Turekian, K. K., and Armstrong, R. L., (In press), Magnesium, strontium, and barium concentrations and calcite-aragonite ratios of some recent molluscan shells:

 Jour. Marine Research.
- Turekian, K. K., and Feely, H. W., 1956, Variations in the abundance of trace elements in a eupelagic Atlantic core: Geol. Soc. America Bull., v. 67, p. 1379.
- Turekian, K. K., and Kulp, J. L., 1956, The geochemistry of strontium: Geochim. et Cosmochim. Acta, v. 10, p. 245-296.
- Twenhofel, W. H., 1932, Treatise on sedimentation: 2nd edition, Williams and Wilkins Co., Baltimore, 926 p.
- Twenhofel, W. H., 1933, The physical and chemical characteristics of the sediments of Lake Mendota, a fresh-water lake of Wisconsin: Jour. Sed. Petrology, v. 3, p. 68-76.
- Twenhofel, W. H., 1942, The rate of deposition of sediments: A major factor connected with alteration of sediments after deposition: Jour. Sed. Petrology, v. 12, p. 99-110.
- Twenhofel, W. H., and McKelvey, V. E., 1941, Sediments of fresh-water lakes: Am. Assoc. Petroleum Geologists Bull., v. 25, p. 826-849.
- Tyler, S. A., 1934, A study of sediments from the North Carolina and Florida coasts: Jour. Sed. Petrology, v. 4, p. 3-11.
- Udden, J. A., 1914, Flattening of limestone gravel boulders by solution: Geol. Soc. America Bull., v. 25, p. 66-68.
- Urey, H. C., 1947, The thermodynamic properties of isotopic substances: Jour. Chem. Soc., p. 562-581.
- Urey, H. C., and Greiff, L. J., 1935, Isotopic exchange equilibria: Am. Chem. Soc. Jour., v. 57, p. 321-327.
- Urey, H. C., Lowenstam, H. A., Epstein, S., and McKinney, C. R., 1951, Measurement of paleotemperatures and temperatures of the Upper Cretaceous of England, Denmark, and the southeastern United States: Geol. Soc. America Bull., v. 62, p. 399-416.
- Urry, W. D., 1949, Radioactivity of ocean sediments. VI. Concentrations of the radio-elements in marine sediments of the Southern Hemisphere: Am. Jour. Sci., v. 247, p. 257-275.
- Valentine, F. R., Jr., and Bergmann, Werner, 1941, Contributions to the study of marine products. VIII. The sterols of sponges: Clionasterol and poriferasterol: Jour. Org. Chem., v. 6, p. 452-461.

- Vallentyne, J. R., 1957, Carotenids in a 20,000-year-old sediment from Searles Lake, California: Arch. Biochem. Biophys., v. 70, p. 29-34.
- Vasil'ev, V. S., Kolbin, M. F., and Krasnova, V. N., 1956, [Zeolites in the Mesozoic and Cenozoic deposits of the Penza area]: Akad. Nauk SSSR Dokl., v. 111, p. 410-412.
- Vaughan, T. W., 1918, Some shoal-water bottom samples from Murray Island, Australia: Carnegie Inst. Washington Pub. 213, v. 9, p. 239-288.
- Vaughan, T. W., 1919, Corals and the formation of coral reefs: Smithsonian Inst. Ann. Rept. for 1917, p. 189-276.
- Ver Steeg, Karl, 1942, Galena in concretions of Pottsville age (in Ohio): Science, v. 95, p. 223.
- ver Wiebe, W. A., 1946, Kinderhook dolomite of Sedgwick County, Kansas: Am. Assoc. Petroleum Geologists Bull., v. 30, p. 1747-1755.
- Vine, J. D., and Pritchard, G. E., 1959, Geology and uranium occurrences in the Miller Hill area, Carbon County, Wyoming: U. S. Geol. Survey Bull. 1074-F, p. 201-238.
- Vinogradov, A. P., 1938, [Geochemistry and biogeochemistry]: Uspekhi Khimii, v. 7, p. 645-686; cited in Vinogradov (1953).
- Vinogradov, A. P., 1953, The elementary composition of marine organisms: English translation by Julia Efron and Jane K. Setlow, published as Memoir II, Sears Foundation for Marine Research, Yale University, New Haven, 647 p.
- Vinogradov, A. P., and Borovik-Romanova, T. E., 1945, [Geochemistry of strontium]: Acad. Sci. USSR, Comptes rendus, v. 46, p. 193-196; cited by Odum, 1950.
- Vinogradov, A. P., Ronov, A. B., and Ratynsky, V. M., 1952, [Changes of chemical composition of carbonate rocks of the Russian Platform]: Akad. Nauk SSSR Izv., Geol. Ser., no. 1, p. 33-50.
- Vishnyakov, S. G., 1953, [Silica deposits in carbonate rocks of lower and middle Carboniferous age of northwestern area of Moscow Basin]: Akad. Nauk SSSR Izv., Geol. Ser., no. 4, p. 80-90; quoted in Chilingar, G. V., Distribution and abundance of chert and flint as related to the Ca/Mg ratio of limestones: Geol. Soc. America Bull., v. 67, p. 1559-1562, 1956.
- Vital, D. A., 1951, [Carbonate formation in Lake El'ton]: Akad. Nauk SSSR Dokl., v. 80, p. 937-939.
- Vitaliano, C. J., 1950, Needles magnesite deposit, San Bernardino County, California: California Jour. Mines and Geology, v. 46, p. 357-372.
- Vogel, J. C., 1959, Über den Isotopengehalt des Kohlenstoffs in Süsswasser-Kalkablagerungen: Geochim. et Cosmochim. Acta, v. 16, p. 236-242.
- Vuletić, A., 1953, Structure géologique du fond du Malo et du Veliko jezero, sur l'Île de Mljet: Acta Adriatica, Split, v. 6, p. 1-63.
- Walker, T. R., 1957, Frosting of quartz grains by carbonate replacement: Geol. Soc. America Bull., v. 68, p. 267-268.
- Walker, T. R., 1960, Carbonate replacement of detrital crystalline silicate minerals as a source of authigenic silica in sedimentary rocks: Geol. Soc. America Bull., v. 71, p. 145-152.

- Walsh, T., and Fleming, J. A., 1953, Selenium level in rocks, soils, and herbage from a high selenium locality in Ireland: Trans. Intern. Soc. Soil Sci. Comm. II and IV, v. 2, p. 178-183.
- Walton, A., and Broecker, W. S., 1959, A contribution to the geochemistry of ionium in deep sea cores: Preprints of abstracts, International Oceanographic Congress, 31 August 12 September, 1959, p. 505-507, Am. Assoc. Adv. Sci., Washington, D. C.
- Wangersky, P. J., 1959, Mechanisms of marine sedimentation: Preprints of abstracts, International Oceanographic Congress, 31 August 12 September, 1959, p. 985-986, Am. Assoc. Adv. Sci., Washington, D. C.
- Wangersky, P. J., and Hutchinson, G. E., 1958, Manganese deposition and deep water movements in the Caribbean: Nature, v. 181, p. 108-109.
- Wanless, H. R., 1957, Geology and mineral resources of the Beardstown, Glasford, Havana, and Vermont Quadrangles: Illinois Geol. Survey Bull. 82, 233 p.
- Warren, B. E., and Biscoe, J., 1938, The structure of silica glass by X-ray diffraction studies: Am. Ceram. Soc. Jour., v. 21, p. 49-54.
- Wattenberg, H., 1927, Die deutsche Atlantische Expedition Meteor: Bericht über die chemischen Arbeiten: Gesell. Erdkunde Berlin Zeitschr., p. 309-314.
- Wayland, J. R., 1954, Baum limestone member of Paluxy formation, Lower Cretaceous, southern Oklahoma: Am. Assoc. Petroleum Geologists, v. 38, p. 2400-2406.
- Wayland, J. R., and Ham, W. E., 1955, General and economic geology of the Baum limestone, Ravia-Mannsville area, Oklahoma: Oklahoma Geol. Survey Circ. 33, 44 p.
- Weaver, C. E., 1958, Geologic interpretation of argillaceous sediments. Part I.
 Origin and significance of clay minerals in sedimentary rocks: Am. Assoc.
 Petroleum Geologists Bull., v. 42, p. 254-271.
- Wedepohl, K. H., 1953, Untersuchungen zur Geochemie des Zinks: Geochim. et Cosmochim. Acta, v. 3, p. 93-142.
- Wedepohl, K. H., 1955, Schwermetallgehalte der Kalkgerüste einiger mariner Organismen: Akad. Wiss. Göttingen Nachr., Math.-phys. Kl., v. 5, p. 79-86.
- Wedepohl, K. H., 1956, Untersuchungen zur Geochemie des Bleis: Geochim. et Cosmochim. Acta, v. 10, p. 69-148.
- Wedepohl, K. H., 1957, Vergleich der Spurenelementgehalte von in der Tiefsee und landnah abgelagerten Tönen: XVI International Congress for Pure and Applied Chemistry, Paris, July, 1957; cited in Rösler, H. J., 1958, Geochemisches Symposium in Paris: Geologie, v. 7, p. 106-109.
- Welby, C. W., 1952, The occurrence of the alkali metals in some modern sediments: Ph. D. thesis, Massachusetts Institute of Technology.
- Welby, C. W., 1958, Occurrence of alkali metals in some Gulf of Mexico sediments: Jour. Sed. Petrology, v. 28, p. 431-452.
- Wells, R. C., 1910, A new occurrence of hydrogiobertite: Am. Jour. Sci., v. 30, p. 189-190.

5.3

- Wells, R. C., 1937, Analyses of rocks and minerals from the laboratory of the United States Geological Survey, 1914-36: U. S. Geol. Survey Bull. 878, 134 p.
- Wells, R. C., 1943, Relative abundance of nickel in the earth's crust: U. S. Geol. Survey Prof. Paper 205-A, 21 p.
- Westgate, L. G., and Fischer, R. P., 1933, Bone beds and crinoidal sands of the Delaware limestone of central Ohio: Geol. Soc. America Bull., v. 44, p. 1161-1172.
- Wherry, E. T., 1916, A peculiar oolite from Bethlehem, Pennsylvania: U. S. Natl. Mus. Proc., v. 49, p. 153-156.
- White, W. S., 1943, Occurrence of manganese in eastern Aroostook County, Maine: U. S. Geol. Survey Bull. 940-E, p. 125-161.
- Whitlatch, G. I., and Smith, R. W., 1940, The phosphate resources of Tennessee: Tennessee Dept. Conserv., Div. Geol. Bull. 48, 444 p.
- Wickman, F. E., 1948, Isotope ratios: A clue to the age of certain marine sediments: Jour. Geology, v. 56, p. 61-66.
- Wickman, F. E., 1952, Variations in the relative abundances of the carbon isotopes in plants: Geochim. et Cosmochim. Acta, v. 2, p. 243-254.
- Wickman, F. E., 1953, Wird das Häufigkeitsverhältnis der Kohlenstoffisotopen bei der Inkohlung verändert?: Geochim. et Cosmochim. Acta, v. 3, p. 244-252.
- Wickman, F. E., 1956, The cycle of carbon and the stable carbon isotopes: Geochim. et Cosmochim. Acta, v. 9, p. 136-153.
- Wickman, F. E., Blix, R., and Ubisch, H. von, 1951, On the variations in the relative abundance of the carbon isotopes in carbonate minerals: Jour. Geology, v. 59, p. 142-150.
- Wickman, F. E., and Ubisch, H. von, 1951, Two notes on the isotopic composition of carbon in minerals: Geochim. et Cosmochim. Acta, v. 1, p. 119-122.
- Wilke-Dörfurt, Ernst, 1927, Über den Jodgehalt einiger Gesteine und seine Beziehungen zum chemischen Teil des Kropfproblems: Ann. Chem., v. 453, p. 298-315.
- Willcox, N. R., 1952, The origin of beds of phosphatic chalk with special reference to those at Taplow, England: Congr. Géol. Internat., Alger, 1952, sect. XI, fasc. XI, p. 119-133.
- Willett, R. W., 1950, The limestone resources of Southland, New Zealand: New Zealand Dept. Sci. Ind. Research, Geol. Survey Branch, Geol. Bull. 49, p. 1-41.
- Willman, H. B., 1943, High-purity dolomite in Illinois: Illinois Geol. Survey Rept. Inv. 90, 89 p.
- Willman, H. B., Lowenstam, H. A., and Workman, L. E., 1950, Field conference on Niagaran reefs in the Chicago region: Guidebook prepared by the Illinois Geological Survey for the 35th Annual Meeting of AAPG, 23 p.
- Wilson, I. T., 1936, A study of the sedimentation of Winona Lake: Indiana Acad. Sci. Proc., v. 45, p. 295-304.
- Wilson, I. T., 1938, The accumulated sediment in Tippecanoe Lake and a comparison with Winona Lake: Indiana Acad. Sci. Proc., v. 47, p. 234-253.

- Wilson, I. T., 1945, A study of the sediment in Douglas Lake, Cheboygan County, Michigan: Michigan Acad. Sci., Arts, and Letters, Papers, v. 30, p. 391-419.
- Wilson, M. E., 1929, Fluorspar deposits of Canada: Canada Department of Mines, Geological Survey, Econ. Geology Ser. no. 6, 97 p.
- Winslow, Arthur, and Robertson, J. D., 1894, Lead and zinc deposits, sec. 2: Missouri Geol. Survey, v. 7, p. 389-763.
- Wolansky, Dora, 1933, Untersuchungen über die Sedimentationsverhältnisse des Schwarzen Meeres und ihre Anwendung auf das nordkaukasische Erdolgebiet: Geol. Rundschau, v. 24, p. 397-410.
- Wolf, J. R., 1959, The geology of Hormuz Island at the entrance of the Persian Gulf: Geol. en Mijnbouw, v. 21, p. 390-395.
- Wooster, W. S., and Volkmann, G. H., 1960, Indications of deep Pacific circulation from the distribution of properties at five kilometers: Jour. Geophys. Research, v. 65, p. 1239-1249.
- Wunnenberg, Curt, 1950, Zur Ausbildung des Posidonienschiefers in der Umgebung von Braunschweig mit besonderer Berücksichtigung der Fossilisation: Neues Jahrb. Geol. Paläont., Monatsh., p. 146-182.
- Wyllie, J., 1941, The determination of arsenic in limestone rocks by a modification of Morris and Calvery's technique: Canada Publ. Health Jour., v. 32, p. 81-82.
- Yaalon, D. H., 1954, Calcareous soils in Israel. The amount of particle-size distribution of the calcareous material: Israel Explor. Jour., v. 4, p. 278-285.
- Yale, C. G., and Stone, R. W., 1923, Magnesite, in U. S. Geol. Survey, Mineral Resources of the United States, 1920 Part II, p. 1-16.
- Yalkovsky, Ralph, 1957, The relationship between paleotemperature and carbonate content in a deep-sea core: Jour. Geology, v. 65, p. 480-496.
- Yarzhemskij, Ya Ya, 1955, [About the role of dolomite and magnesite in salt-bearing beds]: Akad. Nauk SSSR Dokl., v. 104, p. 622-625.
- Youell, R. F., 1958, Isomorphous replacement in the kaolin group of minerals: Nature, v. 181, p. 557-558.
- Young, E. J., 1954, Trace elements in Recent marine sediments: Geol. Soc. America Bull., v. 65, p. 1329.
- Young, G. A., 1916, Hydromagnesite deposits of Atlin, B. C.: Canadian Geol. Survey, Summary Rept. for 1915, p. 50-61.
- Young, R. S., 1957, The geochemistry of cobalt: Geochim. et Cosmochim. Acta, v. 13, p. 28-41.
- Yuan, L. C. L., 1949, On the latitude dependence of the absolute neutron intensities in cosmic radiation: Phys. Rev., v. 76, p. 1267-1268.
- Zalmanson, E. S., 1951, [Sediment formation in Lake Balkhash]: Byull. Moskov. Obshchestva Ispytatel. Prirody, Otdel. Geol. 26, no. 4, p. 41-59.
- Zeller, E. J., and Pearn, W. C., 1960, Determination of past Antarctic climate by thermoluminescence of rocks: Am. Geophys. Union Trans., v. 41, p. 118-121.

Zeller, E. J., Wray, J. L., and Daniels, F., 1955, Thermoluminescence induced by pressure and by crystallization: Jour. Chem. Phys., v. 23, p. 2187.

Zen, E-an, 1959, Mineralogy and petrography of marine bottom sediment samples off the coast of Peru and Chile: Jour. Sed. Petrology, v. 29, p. 513-539.

Illinois State Geological Survey Circular 309 55 p., 1960







CIRCULAR 309

ILLINOIS STATE GEOLOGICAL SURVEY

URBANA

